

Pharmacy Product System – National (PPS-N) User Guide



Version 1.1

July 2014

**Department of Veterans Affairs
Office of Information and Technology (OIT)
Product Development**

Revision History

Each time this manual is updated, the Title Page lists the new revised date and this page describes the changes. No Change Pages document is created for this manual. Replace any previous copy with this updated version.

Date	Revised Pages	Patch Number	Description
July 2014	All	PREN*1.1*1	Changed date to reflect real release date. REDACTED
June 2014	1, 3, 6, 9, 10	PREN*1.1*1	Added required paragraphs between major headings and repaginated. Edited description under PPS-N Button descriptions. Fixed table heading to cross pages. Re-did TOC. REDACTED
June 2014	9, 34, 51, TOC	PREN*1.1*1	Updated items from CPS review. REDACTED
May 2014	All	PREN*1.1*1	Updated items for Section 508 compliance; pagination for headings and continuity with graphics; changed revision history table REDACTED
April 2014	All	PREN*1.1*1	Updated to match VDL version; updated footer; updated graphics for 508 compliance; minor text and formatting changes. REDACTED
November 2013	All	PREN*1*2	Updated version number to 1.0.01 Enterprise Application Maintenance
January 2013	All	PREN*1*1	Updated URL of the National Site in Login Section SwRI
January 2013	All	PREN*1*1	Added the URL to the Login page Section SwRI
January 2013	All	PREN*1*1	Minor formatting changes SwRI
September 2012	All	PREN*1*1	Added significant information and included extracts from the PPS-N help pages so this document is more consistent with the application help files. SwRI
July 2012	All	PREN*1*1	Updated for National Release SwRI

March 2012	All	PREN*1*1	Baseline document SwRI
------------	-----	----------	---------------------------

Table of Contents

Pharmacy Product System – National (PPS-N) Overview.....	1
Purpose	1
Overview	1
Background.....	1
PPS-N Advantage	2
Security Roles.....	2
Identity Management	3
Application Interaction Flow	4
PPS-N Button List	6
PPS-N Application Pages	9
Login Page	9
Instructions.....	9
Authentication Explanation	9
Header and Main Navigation Bar	11
Login / Logout	11
Main Navigation Bar.....	11
Information Bar.....	11
Home Tab	12
Manage PPS Tab.....	14
Enter / Edit Items Tab	14
Requests Tab.....	36
Saved Work in Progress Tab.....	41
PPS Data Elements Tab	42
PPS Data Requests Tab.....	48
Reports Tab	51
How to Use the Buttons	53
Types of Displayable Reports.....	57
COTS Services Tab.....	62
FDB Search Tab.....	63

FDB Add Tab.....	68
FDB Update Tab	69
(FDB) Added Report Tab	70
(FDB) Updated Report Tab	70
User Preferences Tab	71
User Preferences Tab	72
Search Preferences Tab.....	73
Help Tab	78
Manage Application Tab – for Supervisor Roles Only	81
Domain Mapping Tab – for Supervisor Roles Only	82
System Data Tab – for Supervisor Roles Only	85
User Roles Tab – for Supervisor Roles Only.....	88
Edit Home Page Tab – for Supervisor Roles Only	89

LIST OF TABLES

Table 1: Security Keys.....	3
Table 2: Roles and Descriptions	3
Table 3: Interaction Flow Descriptions.....	5
Table 4: Entity Types and Respective Search Fields.....	15
Table 5: Request Type Filters	36
Table 6: Domain Request Type Filters	48
Table 7: Available Reports	51
Table 8: FDB Search Option Types.....	63
Table 9: FDB Control Process Jobs	85
Table 10: Jobs Table - National Settings	87
Table 11: PPS-N User Roles.....	88

LIST OF FIGURES

Figure 1: PPS-N Interaction Flow.....	4
Figure 2: KAAJEE Login Screen.....	10
Figure 3: Header and Navigation	11
Figure 4: Home Page	12
Figure 5: Manage PPS Tab	14
Figure 6: Simple Search.....	14
Figure 7: Simple Search Select Item Type.....	15
Figure 8: Simple Search Select Search Field.....	15
Figure 9: Simple Search Results	17
Figure 10: Export Bar	18
Figure 11: Edit Item.....	19
Figure 12: Access Other Drug Item Tabs	20
Figure 13: Create New [Item Type] from Existing Link	21
Figure 14: Create New [Item Type] from Blank Link.....	21
Figure 15: Create New Product Template.....	22
Figure 16: Enter New Product Fields.....	24
Figure 17: Create New Product Confirmation	25
Figure 18: Advanced Search Link	26
Figure 19: Advanced Search Page	26
Figure 20: Search Templates	27
Figure 21: Advanced Search Dropdown List.....	28
Figure 22: Advanced Search Parameter.....	28
Figure 23: Advanced Search Multiple Parameters.....	29
Figure 24: Advanced Search And/Or Logic	29
Figure 25: Advanced Search Results	30
Figure 26: Advanced Search Export Bar	30
Figure 27: Save Advanced Search Template	31
Figure 28: Change Advanced Search Template.....	32
Figure 29: Processes on the Products Tab	33
Figure 30: "Search For" Text Box	34
Figure 31: Processes on the NDCs Tab	35

Figure 32: Requests Tab	36
Figure 33: Requests Search Results	37
Figure 34: Approve Addition Request	38
Figure 35: Approve Request Confirmation	39
Figure 36: Rejection Details	40
Figure 37: Pending Modification	40
Figure 38: Saved Work in Progress	41
Figure 39: PPS Domain Search	42
Figure 40: PPS Domain Search Fields	42
Figure 41: PPS Domain Search Results	43
Figure 42: PPS Domain Edit	44
Figure 43: PPS Domain Edit Summary	45
Figure 44: Error Messages	46
Figure 45: Open Blank Template Link	47
Figure 46: Dosage Form Template	47
Figure 47: PPS Data (Domain) Requests	48
Figure 48: PPS Domains Requests Results	49
Figure 49: PPS Domain Request Approval	50
Figure 50: PPS Domain Request Confirmation	50
Figure 51: Reports Tab	51
Figure 52: Select Report	51
Figure 53: Report Status	53
Figure 54: Report Generate New	54
Figure 55: Report Download	55
Figure 56: Run Reports with Date-Time Range	56
Figure 57: VA Drug Classifications Report	57
Figure 58: Exclude from DDI Report	58
Figure 59: No Active NDCs Report	59
Figure 60: Proposed Inactivation Date Report	60
Figure 61: VUID Approvals Report	61
Figure 62: COTS Services Tab	62
Figure 63: FDB Search Tab	63
Figure 64: FDB Search Options Type	63
Figure 65: FDB Search Results	65
Figure 66: FDB Item Details	66
Figure 67: FDB Match Results	67
Figure 68: FDB Add	68
Figure 69: FDB Update	69
Figure 70: FDB Added Report	70
Figure 71: User Preferences Tab	71
Figure 72: User Preferences	72
Figure 73: Search Preferences	73
Figure 74: Search Templates	74
Figure 75: Edit Search Template	74
Figure 76: Selected Fields for Product Search Template	76
Figure 77: Simple 'All Fields' Product Search	77
Figure 78: Help Tab	78
Figure 79: Main Help Page	78
Figure 80: Help Options	79
Figure 81: Page Help	80
Figure 82: Context-Sensitive Page Help	80

Figure 83: Manage Application Tab	81
Figure 84: Domain Mapping Tab.....	82
Figure 85: Domains for Domain Mapping.....	82
Figure 86: Domain Mapping Tables	83
Figure 87: Domain Mapping Assignments	84
Figure 88: System Data Tab	85
Figure 89: User Roles Tab	88
Figure 90: Edit Home Tab Content.....	90

(This page included for two-sided copying.)

Pharmacy Product System – National (PPS-N) Overview

This section describes the purpose of PPS-N, gives a general overview of the system and its goals, explains the background of the system's development, and delves into the advantages the system has to offer the users.

Next, the overview touches technical aspects of the system: security roles, identity management, the flow of the application's interactions, and a list of its buttons and links.

Purpose

The Pharmacy Product System – National (PPS-N) is a Web-based application that allows select members of the Department of Veterans Affairs (VA) Pharmacy Benefits Management (PBM) Services to create and revise pharmacy drug information.

The purpose of this user guide is to provide a general overview of the PPS-N application as well as more detailed working information. It also provides reference material and task-based instructions for performing the various capabilities resident within PPS-N.

Overview

The Veteran's Health Administration (VHA) is undertaking a Pharmacy Re-Engineering (PRE) initiative. The objective of the PRE project is to facilitate the improvement of pharmacy operations, customer service, and patient safety for the VHA. The PRE project will help address the identified goals and vision for the VHA Pharmacy System.

The goal for the overall PRE project is a seamless and integrated nationally supported system that is an integral part of the new VA service-oriented architecture (SOA) environment. To meet this goal, the PRE project will enhance pharmacy data exchange, as well as clinical documentation capabilities, in a truly integrated fashion to improve operating efficiency and patient safety. Additionally, it will provide a flexible technical environment to adjust to future business conditions and to meet patient needs in the clinical environment. Achieving this goal will enable resolution of current pharmacy issues, improve patient safety, and facilitate long-term process stability.

The PRE project has been broken down in multiple projects. Previous phases of PRE have concentrated on order checks (Medication Order Check Service - MOCHA), automated updates (Data Update - DATUP), and customizing the drug interactions (Pharmacy Enterprise Customization System - PECS). The PPS-N and the PPS-N Migration projects provide two distinct capabilities that are included in the same application. However, the focus of this User Guide is on the PPS-N application.

Background

The Pharmacy Product System (PPS) is intended to improve the VA's current formulary processes. The current VA National Formulary consists of items such as medications and supplies that have been identified by VA organizations for inclusion. There is a process in place that governs the status change of all items with regard to the VA National Formulary. Upon approval, the item status is changed in the VA National Formulary, and updates are issued to the local drug files via software patches.

PPS is envisioned as two distinct processes. The first process covers PPS at the national level (called PPS-N). The PPS-N environment provides for the ability to manage pharmacy-specific data across the enterprise, ensuring that all facilities are using the same base data for their operations. The second process encompasses PPS processes at the local level (called PPS-L). The PPS-L application environment will provide services that enact business logic for the daily operations of pharmacy users at the VA's medical centers and clinics.

The focus of the current PPS software development efforts and this User Guide is on developing the PPS-N system. This application includes two distinct capabilities: PPS-N Migration and PPS-N. The PPS-N Migration application will be used to migrate data from the legacy National Veterans Health Information Systems and Technology Architecture (VistA) National Drug File Management System (NDFMS) into the PPS-N database. Once the data migration process is completed, the PPS-N Migration application will be retired, and the PPS-N application will be used to manage the VA National Formulary thereafter.

PPS-N Advantage

The PPS-N application allows national VA personnel to more easily, quickly and safely manage the VA National Formulary which directs which products, such as medications and supplies, are to be purchased and used by the VA hospital system. The key capabilities are:

- Provide a means for users to manage the National VA Formulary items. This includes being able to request the addition and update of items, and then approve these requests.
- Provide a means to synchronize PPS-N data with NDFMS.
- Provide a means to interface with a third-party commercial-off-the-shelf (COTS) drug data source. Via this interface PPS-N:
 - Provides a means for users to manage additions and changes made in the COTS drug data source, including synchronization of this data with the PPS-N Enterprise Product List (EPL).
 - Provides a means for users to search for data within the COTS drug data source.
 - Provides a means for users to manage the mapping of VA concepts to COTS concepts.
 - Provides a means for users to perform reports on items added by the COTS drug data source.
- Provide a means for users to perform various simple and advanced searches for item data contained within PPS-N.
- Provide a means for users to perform reports on the item data contained within PPS-N.
- Provide a means to retrieve pricing information from the Federal Supply Schedule (FSS) system, and then to display this information to the PPS-N users.
- Provide a means to retrieve Standard Medication Route information from the VA Enterprise Terminology System (VETS), and then to manage this data within PPS-N.
- Provide a process executed on the legacy NDFMS system to support data synchronization with the PPS-N database.

Security Roles

The PPS-N application is accessible only by users signed directly into the VA network, or by users signed into the VA network via the remote client. User authentication into the VA network is a precondition of PPS-N application access. Application authentication and authorization will be controlled by the VA Kernel Authentication and Authorization for J2EE (KAAJEE) security Application Programming Interface (API).

In order to log in to the application, each user must have a valid VistA account at a local or national facility, since KAAJEE delegates user authentication to VistA. At the application's login screen, users are prompted for their access and verify codes and will be allowed to select the VistA institution which issued their credentials.

Identity Management

Authorization is handled through the use of specific VistA security keys. PPS-N doesn't assign individual permissions to users. Instead, it defines a number of roles for its users (requestor, approver, release manager and administrator) and associates a set of permissions with each of them. These roles are mapped to security keys as follows.

Table 1: Security Keys

PPS-N Role	VistA Security Key
Viewer	PSS PPSN VIEWER
2 nd Approver	PSS PPSN SECOND APPROVER
Manager	PSS PPSN MANAGER
Supervisor	PSS PPSN SUPERVISOR

Depending on the permissions needed by a user, the appropriate role is determined and the corresponding key assigned to their account. The user provisioning process is part of the VistA system and is thus not documented here. Password changes, account activation/inactivation, etc., must be performed through VistA. Refer to the appropriate documentation for details on user account management

The following is a list of roles available within the application, and a description of what each role can do.

Table 2: Roles and Descriptions

Role	Description
PPS National Viewer	This role is designed for a user who needs access to PPS-N to view drugs and their attributes. This user can search for and view drug details but cannot modify drugs nor add new drugs to the system. The user can use advanced search and create personal search templates. They can also search the COTS drug information database, presently First Databank (FDB). This user does have the ability to submit a change request for a drug. This user will be able to view all the data screens in PPS-N (not migration). This user has the ability to view and create reports.
PPS National Second Approver	This role contains all the functionality of a PPS National Viewer. This role also allows a user to provide a second approval on items that are in the Pending second approval state. The user can search for all requests, select and view any request, but they can only approve or disapprove those that the National Managers marked as available for second approval.
PPS National Manager	This role controls the normal processing of drug items. This role contains all the functionality of the PPS National Second Approver plus the ability to add, edit and approve all items such as products and national drug codes (NDCs) and new domains such as generic names, ingredients, etc. This role also allows the user to search for new items in FDB and add them to PPS-N.
PPS National Supervisor	This role contains all of the permissions of a PPS National Manager. In addition, the role provides the ability to configure the auto-update processes

Role	Description
	from Standards and Terminology Service (STS) and FSS or to manually start the processes. This user can also control the sending of synch messages to VistA. Further, this role allows the user to create system level advanced search templates, and to delete templates and partially saved items that other users have created.

Application Interaction Flow

The figure below provides a high level interaction flow diagram for the PPS-N system. The circles within the PPS-N oval represent the major capabilities provided by the application. The squares with inclusive circles represent the main external applications with which PPS-N interacts. Additional details on the process flows for each of the PPS-N capabilities can be found in the System Design Document.




Figure 1: PPS-N Interaction Flow

The table below provides amplifying information for the interaction flow presented above.

Table 3: Interaction Flow Descriptions

Name	ID	Description	External Interface Name
Synchronize File Data	1	This process is invoked by the PPS-N application's VistA Link service to synchronize item updates from PPS-N into NDFMS' VistA files	VistA Link, which allows external systems (such as PPS-N) to invoke MUMPS procedures on the NDFMS side
VistA Link	2	The service is used to send RPC messages from PPS-N to NDFMS	VistA Link, the interface mechanism between NDFMS and PPS-N
Managed Item	3	This service handles validation and create, read, update and delete (CRUD) operations with the PPS-N data entities	N/A
PPS-N Database	4	This database is used to persist all entities and information needed by the PPS-N application	N/A
Search	5	This service handles all simple and advanced search functionality for the PPS-N application	N/A
Print Template	6	This service handles CRUD operations for the 'print template' entity, used to persist advanced search criteria and result columns	N/A
VETS	7	This service is used to send web service requests to the VETS system, for the Standard Med Route data that it contains	Web services, the interface mechanism between VETS and PPS-N
Retrieve Standard Med Route Data	8	This process (not developed as part of PPS-N) is invoked by the PPS-N application's VETS service to request Standard Med Route data	Web services, which allows external systems (such as PPS-N) to request data contained in the VETS data store
Drug Reference	9	This service interfaces with the COTS drug information database (also located within PPS-N)	N/A
FSS	10	This service is used to send Java Database Connectivity (JDBC) queries to the FSS system, for the pricing data contained in its database tables	JDBC, the interface mechanism between FSS and PPS-N
Retrieve Pricing Data	11	This process (not developed as part of PPS-N) is invoked by the PPS-N application's FSS service to request pricing data	JDBC, which allows external systems (such as PPS-N) to query for data contained in the FSS database
Request	12	This service implements the item request management functionality for the PPS-N application	N/A
Reports	13	This service is used to manage reports	N/A

PPS-N Button List

The PPS-N application contains a large number of buttons and links. Below is a list of the buttons in PPS-N and their meanings. This list is alphabetical, not by window or function, as the buttons can display on many different windows and it depends upon user role whether a button is visible.

- **Accept Changes** – When a user makes changes to an item, those changes are displayed in a modification summary table so they can review and confirm the changes. This button provides that confirmation.
- **Accept Changes to Product & Create Blank NDC** – Once the user has created a new product, and viewed the changes on the confirmation page, then can choose to accept those changes and also launch a blank NDC template form for creating a new NDC to be associated with the product they just created
- **Activate** – Activate an item that was previously inactive
- **Add** – Add a new search filter in Advanced Search
- **Add More Details** – Once the user creates a new item using a template (which only contains the primary information fields), they have an option to proceed to the edit table which provides access to all available data fields for that type item
- **Add New Row** – Add a new row in one of the multiple select boxes
- **Apply Changes to All Items** – When editing multiple items at the same time, as part of a single process, the user can apply changes to all items in the process
- **Apply Changes to Just This Item** – When editing multiple items at the same time, as part of a single process, the user can apply changes to a single item
- **Approve** – Approve any or all changes made to an item
- **Cancel** – Cancels the current action or process and returns to the previous page
- **Change OI** – Each product has an associated OI. When the OI for a product already exists, the user can search for and select a different OI
- **Change Product** – Each NDC has an associated Product. When the Product for an NDC already exists, the user can search for and select a different Product
- **Change Search Results Template** – Select the current advanced search template for editing or to create a new template
- **Create New NDC (from existing)** – Use an existing NDC and its details as a template for creating a new NDC
- **Create New NDC (from blank)** – Create a new NDC from scratch by using a blank NDC template form
- **Create New OI (from blank)** – Create a new OI from scratch by using a blank OI template form
- **Create New OI (from existing)** – Use an existing OI and its details as a template for creating a new OI
- **Create New Product (from blank)** – Create a new product from scratch by using a blank product template form
- **Create New Product (from existing)** – Use an existing product and its details as a template for creating a new product
- **Delete** – Delete an item, typically by removing it from a list
- **Delete Change Request** – Delete a change request
- **Down** – Move an item down in the list
- **Download** – Download a file, typically in a CSV format
- **Edit Items** – Select to edit multiple items as part of a single process

- **Generate Name Fields Below** – When creating a new product, the user can automatically generate the VA Product Name, VA Print Name, and National Formulary Name
- **Generate New** – When viewing some report types, the user can create a new CSV file which can then be downloaded for viewing and/or saving
- **Generate OI Names** – When creating a new OI, this permits the user to automatically generate the PPS OI Name and VistA Orderable Item Name
- **Get Status** – Permits the user to view the status of a report generation process
- **Ignore** – In certain instances, the user will receive a warning about the item they have just submitted. This is just for information purposes
- **Inactivate** – Choose to inactivate an item that is currently active
- **Load Print Template** – Search preferences permits a user to personalize All Fields search templates for each item type. This action loads the appropriate fields for selection, based on the item type, and also loads an existing template when there is one
- **Login** – Login to PPS-N
- **Match Results** – After performing an FDB search, try and match the NDCs with an existing PPS-N product
- **Next Item** – Advance to the next item in the process, typically when performing edits on more than one item at a time
- **OK** – Final confirmation that an item has been saved to the database
- **Open Blank Template** – Create a new domain item using a blank form template
- **Overwrite** – Replace an existing item with a new item
- **Perform FDB Search** – Send a search query to FDB
- **Previous Item** – Back up to the previous item in the process, typically when performing edits on more than one item at a time
- **Reject** – Reject any or all changes made to an item
- **Remove** – Remove an item
- **Remove As Default** – Unmark the existing default advanced search template
- **Remove Row** – Certain data fields can have multiple entries and these are displayed as rows within a table. This action allows the user to remove an item (row) from the table
- **Retrieve Search Templates** – Change the current advanced search template by selecting another one from the list of available saved templates
- **Return** – Return to the previous page, typically so the user can make some other changes
- **Run Report** – When viewing some report types, the user can create a new report
- **Save Changes** – Save all changes
- **Save Template** – Once the user has created a new advanced search template or changed an existing template, they will assign a name for that template and then use this button to save it to the database
- **Save Work in Progress** – When the user is not done editing, they have the option to save their work and return to it later
- **Search** – Perform a search using the defined search criteria
- **Select OI** – When creating a new product using a blank product template form, this is used to search for and select an OI
- **Select Product** – When creating a new NDC using a blank NDC template form, this is used to search for and select a Product
- **Set As Default** – Define one advanced search template as the default template
- **Set Preferences** – Once the user has set or changed their user preferences, this action will save those preferences to the database
- **Submit** – Start the confirmation process for a new item or revisions to an existing item. In some cases, this also saves the item to the database
- **Under Review** – Place an item under review

- **Undo Changes** – Undo all changes made since the last time this item was saved
- **Up** – Move an item up in a list
- **View PMI** – View the Patient Medication Instructions for a specific drug
- **<** – Move an item from the right-side list to the left-side list
- **>** – Move an item from the left-side list to the right-side list

PPS-N Application Pages

This section describes the Login Page, the Header and Main Navigation Bar, the Home Tab, the Manage PPS Tab, the Reports Tab, the Help Tab, and the Manage Application Tab (for Supervisor Roles only).

Login Page

This section explains the Instructions to log in and the Authentication Method used to authenticate users to the system.

Instructions

The purpose of this screen is to provide an authorized user access to the system. Each user needs to select their site and then enter their current VistA access and verify codes which are their assigned/designated "user IDs" and passwords.

Note that authorization is handled through the use of specific VistA security keys. PPS-N doesn't assign individual permissions to users. Instead, it defines a number of roles for its users (requestor, approver, release manager and administrator) and associates a set of permissions with each of them.

Authentication Explanation

Application authentication and authorization is controlled by KAAJEE. Refer to VistA documentation for details on the user account maintenance.

If the response from the authentication request is successful via the KAAJEE API, KAAJEE returns a user profile object, which is used by the application to determine the user's role and permissions. On successful login, the system transfers the user to the Home page of the application.

The login window is shown below.

System Announcements:

U.S. Government Computer System

U. S. government systems are intended to be used by authorized government network users for viewing and retrieving information only, except as otherwise explicitly authorized for official business and limited personal use in accordance with policy. Information from these systems resides on and transmits through computer systems and networks funded by the government. All access or use constitutes understanding and acceptance that there is no reasonable expectation of privacy in the use of Government networks or systems.

The data and documents on this system include Federal records that contain sensitive information protected by various Federal statutes, including the Privacy Act, 5 U.S.C. Section 552a, and veterans' records confidentiality statutes such as 38 U.S.C. Sections 5701 and 7332. Access to the data and records is on a need-to-know basis only.

All access or use of this system constitutes user understanding and acceptance of these terms and constitutes unconditional consent to review and action including (but not limited to) monitoring, recording, copying, auditing, inspecting, investigating, restricting access, blocking, tracking, disclosing to authorized personnel, or any other authorized actions by all authorized government and law enforcement personnel.

Unauthorized user attempts or acts to (1) access, upload, change, or delete information on this system, (2) modify this system, (3) deny access

Login: PEPS

 **Access Code:**

Verify Code:

Sort by Station Number * Sort by Station Name *

Institution: *

* Persistent Cookie Used ([more information](#)).

Figure 2: KAAJEE Login Screen

Header and Main Navigation Bar

All PPS-N pages share a common header, main navigation bar, and information bar.




Figure 3: Header and Navigation

The left part of the header includes the standard VA logo, application acronym and name. The right part shows the user name, the Logout link, and the user's assigned role and location below the name.

Login / Logout

The application login process is handled by a separate system (VistA).



In the upper right corner of the application screen are two lines of text:

The first line has “Welcome, *user's-name* . Logout .” The user's first name will be displayed. Both the first name and Logout will be links.

The second line has the user's assigned roles, e.g. “PPS-National Manager ” and the location, e.g. “500”

The first name link can be clicked to view detailed information on the user account. This page will detail the following information:

- First name – The first name of the user, as provided by VistA.
- Last name – The last name of the user, as provided by VistA
- Username – The username of the user, as provided by VistA
- Location – The number corresponding to VA institution, as provided by VistA
- Roles – the user's assigned roles, as assigned by the application administrator(s).

The Logout link on the first line will allow a user to manually logout of the application.

Main Navigation Bar

The main navigation bar includes seven main tabs: Home, Manage PPS, Reports, COTS Services, Manage Application, User Preferences, and Help.

Information Bar

The information bar includes a locational breadcrumb (on the left side) and a link to context sensitive help (Page Help) for the respective web page you are on. The application currently includes a Provide Feedback link which generates an e-mail that you can use to contact PBM staff. This link may or may not exist in the production version of PPS-N.

Home Tab

The Home tab is the first page the user sees after logging in to PPS-N. Note that there is a User Preference to change the default login page to the Search page if the user prefers.




Figure 4: Home Page

The home page displays the following content:

- An optional image and message from the PBM office
- The user’s “Saved Work in Progress”
- Helpful links (at the bottom of the page)
- Application version information (below the helpful links)
- A link to the Simple Search page (Perform Simple Search)
- The application’s messaging status when appropriate

Saved Work in Progress

The system may automatically save work in progress upon system time-out or a user may elect to save during various processes by clicking the “Save Work in Progress” button when it is available. Saved sessions will be displayed in the Saved Work in Progress table on the home page.

- The Comment field includes the name the user assigned to the saved work or “AUTO-LOGOUT AUTO-SAVE” which designates the work was saved upon a user’s session time-out.
- The Date Modified field presents a date-time stamp indicating when the item was saved.

The user can click the link in the “Comment” column to open this saved session from the Home page. The user can also click the link “Saved Work in Progress” and PPS-N will display the Saved Work in Progress tab.

Messaging Status

To perform maintenance tasks, a system administrator may turn off communication with the NDFMS server. When this occurs, users will be notified on the Home page as shown in the previous figure. New items and modifications to existing items will be saved to a queue to be processed once the connection is re-established.

Manage PPS Tab

The Manage PPS tab is where most of the drug management functions are accomplished. This includes searching for and editing/adding new drugs and their attributes and domains, performing the approval process for those drug and attribute additions or revisions, and continuing work that was previously saved.



Figure 5: Manage PPS Tab

The five tabs found under the Manage PPS tab include:

- Enter/Edit Items – search for, edit and create new items.
- Requests – review and approve item additions or revisions requiring approval.
- Saved Work in Progress – review work that was saved for later completion.
- PPS Data Elements – search for, edit and create new domains.
- PPS Data Requests – review and approve domain additions or revisions requiring approval.

Enter / Edit Items Tab

The Enter / Edit Items tab provides the means for searching the system for drug information. From this page, search result items can then be selected for review or edit, and the user can choose to create new items.



Figure 6: Simple Search

The search process includes the following steps:

- Enter text in the “Search For” field
- Select the “Item Type”
- Select the “Search Field”
- Select any applicable filters and options
 - Category
 - Sub-Category
 - Item Status
 - New Item Request

- Click the “Search” button

These steps are further explained below.

1. Select an Item Type

The Item type consists of three entries relating to the three main types of drugs in the system: NDC, Product, or Orderable Item.




Figure 7: Simple Search Select Item Type

2. Select a Search Field

The Search field dropdown list is dependent upon the chosen item type. If the user chooses NDC as the item type then the Search Field dropdown will populate with searchable NDC fields. If Product is chosen as the item type, then the Search field dropdown will populate with searchable Product Fields. Likewise, if Orderable Item is the selected item type, then the Search Field dropdown list will contain searchable OI fields. The actual searchable fields for each item type are shown in the table below the next figure.




Figure 8: Simple Search Select Search Field

Table 4: Entity Types and Respective Search Fields

Available Entity Types	Search Fields
Product <i>Selection will expose the “Strength” criteria field.</i>	All Fields VA Product Name VA Print Name Generic Name VA Product ID

Available Entity Types	Search Fields
	VA Drug Class Active Ingredient Synonym Name
Orderable Item <i>Selection will expose the “Dosage Form” criteria field.</i>	All Fields PPS OI Name OI Synonym
NDC	All Fields NDC UPC/UPN Trade Name

3. Select Other Filters

Following the Search Field, there are a number of other selectable search filters. First, if the user chose Product as the item type, then a text field will appear for entering a specific Strength to search for. Similarly, if the user selected Orderable Item as the item type, then a Dosage Form text field will become available. After that, the user can choose to search the drug database based on the specified Category, Sub-Category, Item Status, and New Item Request (status). For all four of these filter types, the user can choose any combination of items, including multiple choices in each filter type.

There is one other set of filters that can be used with the search. Just below the Search For text field are three radio buttons: Contains, Begins With, and Is Exactly. These indicate where the search string can appear in the result.

- Contains – return search results where the search string appears anywhere in the searchable fields
- Begins With – return search results where the search string appears at the beginning of the searchable fields
- Is Exactly – return search results where the search string matches exactly the searchable field

4. Enter Text in the Search For Field and Perform a Search

To perform a search, the user enters a string in the “Search For” text field which is a required field. After selecting any other filters, the user then clicks the “Search” button to perform the search. For the Search For text field, the user may use two wildcards, _ (underscore - any single character) and % (percent - any number of characters).

The screenshot shows the PPS-N (Pharmacy Product System - National) search interface. The search criteria are as follows:

- Search For: AC_T%500
- Item Type: Product
- Search Field: VA Product Name
- Strength: (empty)
- Category: Medication (checked)
- Sub-Category: (empty)
- Item Status: Active (checked), Inactive (unchecked)
- New Item Request: Approved (checked), Pending (checked), Rejected (unchecked)
- Radio buttons: Contains (selected), Begins With, Is Exactly

The search results show 2 items found:

Select	VA Product Name	Generic Name	Str	Unit	Dosage Form	CMOP ID	PPS OI Name	Primary Class	CMOP (National)	F/NF	Cat	New Item Request	Item Status	NDCs
<input type="checkbox"/>	ACETAMINOPHEN 500MG TAB	ACETAMINOPHEN	500	MG	TAB		ACETAMINOPHEN-TAB	CN103 #	Yes	F	Medication	Pending	Active	0
<input type="checkbox"/>	BACITRACIN 500UNT/GM OINT,OPH	BACITRACIN	500	UNT/GM	OINT,OPH		BACITRACIN OINT,OPH	AN900 #	Yes		Medication	Pending	Active	0

Export options: CSV, Excel. Buttons: Select All, Edit Items. Link: Create New Product (from blank)

Figure 9: Simple Search Results

In the example above, the user entered AC_T%500 in the Search For text field. It returned two matching VA Product Names (note the Search Field is VA Product Name), ACETAMINOPHEN 500MG TAB and BACITRACIN 500UNT/GM OINT, OPH. Both of these contain AC(any single character wildcard)T followed by 500 somewhere in the name (based on % wildcard). Note that if the user had selected the “Begins With” radio button below the “Search For” text field, the search would have only returned ACETAMINOPHEN.

5. View Search Results

The search results are shown below the search filters and include those items that matched the specific Search For text field entry and the other filters. The results are presented in a table with various columns depending on the selected item type and search field. For example, in the figure above, the items presented in the table are specific to Product searches based on VA Product Name. Selecting a different Search Field or Item Type will result in potentially different drug information being displayed in the table. Likewise, selecting a different Search Field can result in different columns of information being displayed.

Export Search Results

Below the search results table, there is an option to export the search results in either CSV or Excel format. The user should click the desired format link in the export panel, shown below, and then use the buttons in the resulting dialog box to Open or Save the results..



Figure 10: Export Bar

Review and Possibly Edit Drug Information

Also note that the rows within the search results table contain one or more hyperlinked items. This provides a means for the user to access and review and/or edit that specific item by clicking the link. The page shown below is the edit product page that displays attributes about the product, and allows the user to make any necessary changes to that item.

UNITED STATES
DEPARTMENT OF VETERANS AFFAIRS
PPS-N PHARMACY PRODUCT SYSTEM - NATIONAL

[Skip to main content](#)
 Welcome, **First Name** . [Logout](#) .
 PPS-National Supervisor - 999

Home
Manage PPS
Reports
COTS Services
Manage Application
User Preferences

Enter / Edit Items
Requests
Saved Work in Progress
PPS Data Elements
PPS Data Requests

Simple Search > [Edit Product](#)
[Help](#) [Provide Feedback](#)

Product : ACETAMINOPHEN 325MG TAB

Primary Class : CN103 - NON-OPIOID ANALGESICS

Category : Medication

PPS OI Name : [ACETAMINOPHEN-N TAB](#)
 Application Package Use : X
 Item Status : Active
 New Item Request : Approved

National Data [Show All Tabs](#) * = required fields

VA Product Name : ACETAMINOPHEN 325MG TAB Generic Name * : ACETAMINOPHEN Product Strength : 325 Product Unit : MG VA Dispense Unit * : TAB VA Print Name * : ACETAMINOPHEN 325MG TAB VA Product ID : A0001 CMOP Dispense (National) : <input checked="" type="checkbox"/> Exclude DDI Check : <input type="checkbox"/> Override DF Check Exclusion : <input type="checkbox"/> Auto-Create Possible Dosage : <input checked="" type="checkbox"/> Possible Dosages To Create : Product Package : FDA Med Guide :	GCNSEQNO : 004489 VUID : 4007158 CS Federal Schedule * : 0 - UNSCHEDULED National Formulary Indicator : <input checked="" type="checkbox"/> National Formulary Name : ACETAMINOPHEN TAB Item Status * : Active Proposed Inactivation Date : Reduced Copy <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Start Date</th> <th style="width: 25%;">Stop Date</th> <th style="width: 25%;">Remove</th> </tr> </thead> <tbody> <tr> <td colspan="3" style="text-align: center;">Add New Row</td> </tr> </tbody> </table>	Start Date	Stop Date	Remove	Add New Row		
Start Date	Stop Date	Remove					
Add New Row							

Sub-Category <input type="checkbox"/> Chemotherapy <input type="checkbox"/> Herbal <input type="checkbox"/> OTC <input checked="" type="checkbox"/> Veterinary	VA Drug Classes * <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 70%;">VA Drug Class</th> <th style="width: 10%;">Primary</th> <th style="width: 20%;">Remove</th> </tr> </thead> <tbody> <tr> <td>CN103 - NON-OPIOID ANALGESICS</td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> <td style="text-align: center;">Remove</td> </tr> </tbody> </table> Add New Row	VA Drug Class	Primary	Remove	CN103 - NON-OPIOID ANALGESICS	<input checked="" type="checkbox"/>	Remove
VA Drug Class	Primary	Remove					
CN103 - NON-OPIOID ANALGESICS	<input checked="" type="checkbox"/>	Remove					

Active Ingredient

Ingredient Name	Strength	Drug Unit	Remove
ACETAMINOPHEN	325	MG	Remove

 Add New Row

Synonyms

Synonym Name	Use	NDC Code	VSN	Order Unit	PPOU	DUOU	PPDU	Vendor	Remove
Add New Row									

Cancel Save Work in Progress Change OI Submit

[Create New Product \(from existing\)](#)

Figure 11: Edit Item

The drug information is arranged in a series of tabs. For a product, the major data items are displayed on the National Data tab as shown above. There are also seven other tabs which contain information that might occasionally need to be reviewed or changed. In this case, the user will select the Show All Tabs link that is located to the right of the National Data tab. Selecting that link will display the other remaining tabs as shown below.



Figure 12: Access Other Drug Item Tabs

The user can maneuver through these tabs by clicking the name on any of the tabs. Additionally, the user may click the Hide All Tabs link to return to viewing just the National Data tab information.

While viewing the information, the user can select and change almost all of the data except for those items that are displayed as text only. If changes are made, the user then clicks the “Submit” button at the bottom right side of the page and this will continue through a process to validate the changes, allow the user to view and if necessary revise the changes, and then finally submit the changes to the database.

There are other processes that can be performed while viewing drug information. Each of these is summarized here and described in detail later in this section.

1. While viewing an Orderable Item, it will have a Products tab that displays a table with those products associated with that Orderable Item. This tab provides a “Move Products” button that starts a process for assigning any selected (checked) products to a new Orderable Item.
2. While viewing a Product, it will have an NDCs tab that displays a table with the associated NDCs. This tab provides a “Move NDCs” button that starts a process for assigning any selected (checked) NDCs to a new Product.
3. While viewing the Product’s NDCs tab, there is also a “Copy NDCs to New Product” button that starts a process for making a copy of the selected (checked) NDCs, assigning them to a new Product, and then requiring the user to make some changes to the NDCs.

Add New Items

After performing the search for an item type, such as products, the user may determine that the appropriate drug does not exist in PPS-N and needs to be created. The user can then choose to create a new item, either from scratch using a blank template or by using an existing item as a template. Each of these is described below:

1. Create New [Item Type] from Existing

While the user is reviewing an existing item, there is a link at the bottom of the page to create a new item using this current selected item as a template. To use this existing item, click the “Create New [item type] (from existing)” link.




Figure 13: Create New [Item Type] from Existing Link

2. Create New [Item Type] (from blank)

If the user performed a search and did not find any items closely related to the new item, then the user could choose to create a new item using a blank template (almost no fields are pre-populated). Below the search results table, click the “Create New [item type] (from blank)” link as shown below.




Figure 14: Create New [Item Type] from Blank Link

Clicking this link will present a new item template for the user to complete. As an example, the Add New National Product template is shown below.

The screenshot shows the 'Add New National Product' form. At the top, there is a navigation bar with links like 'Home', 'Manage PPS', 'Reports', etc. Below the navigation bar, the form title is 'Add New National Product'. The form is divided into several sections:

- Product Information:** Fields for 'Product:', 'Category:', and 'PPS OI Name:'. A 'Select OI' button is located below these fields.
- Define the VA Product:** A section for defining the active ingredient. It includes a table with columns 'Ingredient Name', 'Strength', 'Drug Unit', and 'Remove'. Below the table are fields for 'Generic Name *', 'VA Product Name *', 'VA Print Name *', 'National Formulary Name *', 'Product Strength:', 'Product Unit:', and 'VA Dispense Unit *'.
- Define the VA Drug Classes:** A section for defining VA drug classes. It includes a table with columns 'VA Drug Class', 'Primary', and 'Remove'.
- Define the Schedule and Handling:** A section for defining the schedule and handling. It includes fields for 'CS Federal Schedule *', 'Single/Multi Source:', 'GCNSEQNO:', 'DEA Schedule *', 'NCPDP Dispense Unit *', 'NCPDP Quantity Multiplier *', and a 'Special Handling' table.
- Miscellaneous:** A section for miscellaneous information. It includes checkboxes for 'National Formulary Indicator:', 'CMOP Dispense (National):', 'Override DF Check Exclusion:', 'Exclude DDI Check:', and 'FDA Med Guide:'. It also includes fields for 'Auto-Crete Possible Dosage:', 'Possible Dosages To Create:', and 'Product Package:'.

At the bottom right of the form, there are 'Cancel' and 'Submit' buttons.

Figure 15: Create New Product Template

Just below the title Add New National Product, the user will note some field labels without subsequent content. This is considered the template header. In the template above, the labels in the header include “Product:” (name), “Category:”, and “PPS OI Name:” (appropriate parent name). These items will be filled in by PPS-N while working on the remainder of the template.

Just below the template header, the user will note a button to select the appropriate parent. In the template above, this button is named “Select OI”. At some point in the process of completing this template, the user will need to click this button which will spawn a new process so the user can search for and select the parent for this new item. That process will return the user to this

template and fill in the text following the label PPS OI Name. It's recommended that this process of selecting an appropriate parent be performed first.

Next on the page is text stating that Fields marked with * are required. The user will then note that certain fields on the template have field labels that are followed by the * (red) asterisk. This is how PPS-N denotes those fields that the user must complete before saving the item, or else PPS-N will produce an error message.

The first field on the product template is Active Ingredient and this is a multiple. The user can click the "Add New Row" button to produce a row with the necessary fields in it. The user will then complete each field, and also has the option to add more ingredients by again clicking the "Add New Row" button. Note that this field does not have a red asterisk so it is not required. However, to use the "Generate Name Fields Below" button, which will automatically populate the text for up to five fields below the button, the user must enter an Ingredient with its "Name", "Strength" and "Drug Unit".

Similarly, to use the "Generate Name Fields Below" button, the user must first select a "Generic Name" from its dropdown list. This field is marked with a red asterisk, so the user must perform this selection anyway. The user can then select the "Generate Name Fields Below" button to populate the "VA Product Name", "VA Print Name", "National Formulary Name", "Product Strength", and "Product Unit", if appropriate. These items can also be entered by typing text in those fields, and they can also be changed after using the button to fill in the fields.

The user will then proceed through the rest of the fields on the template making the appropriate entries, and paying special attention to those marked with the red asterisk which must be completed. After filling in the required and any other desired fields the template, in this case a product, will look something like the one shown below.

UNITED STATES DEPARTMENT OF VETERANS AFFAIRS
PPS-N PHARMACY PRODUCT SYSTEM - NATIONAL
 Skip to main content
 Welcome, First Name . Logout . PPS-National Supervisor - 999

Home Manage PPS Reports COTS Services Manage Application User Preferences

User Preferences Search Preferences

Simple Search > Edit Product > Add Product Help Provide Feedback

Add New National Product

Product : ACETAMINOPHEN 500MG TAB PPS OI Name : ACETAMINOPHEN-N TAB

Category : Medication [Change OI](#)

*Fields marked with * are required*

Define the VA Product

Ingredient Name	Strength	Drug Unit	Remove
ACETAMINOPHEN	500	MG	Remove

Add New Row

Generic Name * : ACETAMINOPHEN

Generate Name Fields Below

VA Product Name * : ACETAMINOPHEN 500MG TAB

VA Print Name * : ACETAMINOPHEN 500MG TAB

National Formulary Name * : ACETAMINOPHEN TAB

Product Strength : 500

Product Unit : MG

VA Dispense Unit * : 0.6ML EACH

Define the VA Drug Classes

VA Drug Classes *

VA Drug Class	Primary	Remove
CN103 - NON-OPIOID ANALGESICS	<input checked="" type="checkbox"/>	Remove

Add New Row

Define the Schedule and Handling

CS Federal Schedule * : 0 - UNSCHEDULED

Single/Multi Source :

GCNSEQNO :

Sub-Category

- Chemotherapy
- Herbal
- OTC
- Veterinary

DEA Schedule * : 0-Unscheduled

NCPDP Dispense Unit * : EA-EACH

NCPDP Quantity Multiplier * : 1

Special Handling

Special Handling	Remove
	Remove

Add New Row

Miscellaneous

National Formulary Indicator :

CMOP Dispense (National) :

Override DF Check Exclusion :

Exclude DDI Check :

FDA Med Guide :

Auto-Create Possible Dosage :

Possible Dosages To Create :

Product Package :

[Cancel](#) [Submit](#)

Figure 16: Enter New Product Fields

When the user has completed all required and desired information on this template, the user then clicks on the “Submit” button at the bottom right side of the page. This will display the confirmation screen shown below. Note that any Warnings are shown at the top of the confirmation screen. In the example below, there are two warnings being shown. These are provided for informational purposes only, so the user can still save the new item when warnings are shown.

The item has generated the following warnings:

- Possible dosages can not be created for this product because the product ingredient unit does not match the dosage form unit of any of the units in the units multiple of the dosage form of the associated orderable item.
- For the product you just submitted, the VA Print Name ACETAMINOPHEN 500MG TAB already exists with the corresponding CMOP ID A0037

Confirming New Product Information

VA Product Name : ACETAMINOPHEN 500MG TAB
 VA Print Name : ACETAMINOPHEN 500MG TAB
 VA Dispense Unit : 0.6ML EACH
 Dosage Form : TAB
 Generic Name : ACETAMINOPHEN

Product Strength : 500
 Product Unit : MG
 PPS OI Name : ACETAMINOPHEN-N TAB
 Active Ingredient : ACETAMINOPHEN, MG, 500

VA Drug Classes : NON-OPIOID ANALGESICS, CN103
 CS Federal Schedule : 0 - UNSCHEDULED
 Single/Multi Source :
 GCNSEQNO :
 DEA Schedule : 0-Unscheduled

NCPDP Dispense Unit : EA-EACH
 NCPDP Quantity Multiplier : 1
 Category : Medication
 Special Handling :
 National Formulary Indicator : Yes

National Formulary Name : ACETAMINOPHEN TAB
 VA Product ID :
 CMOP Dispense (National) : Yes
 FDA Med Guide :
 Auto-Create Possible Dosage : Yes
 Possible Dosages To Create :
 Product Package :
 Exclude Drug-Drug Interaction Check : No
 Override Dose Form Dose Check Exclusion : No
 Reduced Copay :

Figure 17: Create New Product Confirmation

After reviewing the information to make sure it’s correct, the user will note four buttons at the bottom of the page:

- “Return” (to the previous page) – allows the user to go back and make a needed change.
- “Accept Changes” – accepts the changes, saves the item to the database, and returns to the search results page.

- “Add More Details” – saves the item to the database, and then proceeds to the Edit page where the user can add additional information about this item.
- “Accept Changes to Product & Create Blank NDC” – saves the item to the database, and directs the user to a blank child template so that the user can create a child using this item as its parent.

Perform an Advanced Search

As illustrated in the following, to the right of the “Search” button is a link to the Advanced Search page which provides options for searching on multiple fields, and other fields that are not available in simple search.

Figure 18: Advanced Search Link

Selecting the “Advanced Search” link will display the Advanced Search page as shown below.

Figure 19: Advanced Search Page

1. Retrieve Search Templates

If the user has saved previous advanced searches, they may select one of these templates by clicking on the “Retrieve Search Templates” button which will display the Search Templates page.




Figure 20: Search Templates

The available search templates will be displayed in the table shown above by Template Name, Access Level, and Notes.

- Template Name – Text describing the search results template – the user should be specific so that they can distinguish multiple templates
- Access Level – Personal Template or National System Template – the user can create Personal Templates – the Supervisor can create National System Templates which become available to all users but these users cannot modify or delete them
- Notes – Textual notes that further describe the template

This page provides three options for the user:

- 1) Personal Templates can be removed by checking the Select checkbox and then clicking the “Remove” button.
- 2) A default template can be defined, and this template will automatically be displayed every time the user accesses the Advanced Search page. The user can still change all of the display items.
- 3) A default template can be deselected by checking the Select checkbox and then clicking the “Remove as Default” button. This will not delete the template.

2. Set the Filters

The user will select the Item Type from the dropdown list, and then select the appropriate Category, Sub-Category, Item Status and New Item Request (status) filters.

3. Set the Search Parameters

The user will then set the search parameters for specific fields based on the Item Type. In the figure below, the user selected NDC as the Item Type, so the first parameter field becomes a dropdown list of all available NDC fields.

The screenshot shows the PPS-N (Pharmacy Product System - National) interface. At the top, there is a navigation bar with links for Home, Manage PPS, Reports, COTS Services, User Preferences, and Help. Below this is a secondary navigation bar with links for Enter / Edit Items, Requests, Saved Work in Progress, PPS Data Elements, and PPS Data Requests. The main content area is titled "Simple Search > Advanced Search" and includes a "Retrieve Search Templates" button and an "OR" separator. The "Search For:" section has an "Item Type" dropdown set to "NDC". Below this are four groups of checkboxes: "Category" (Medication, Investigational, Compound, Supply), "Sub-Category" (Herbal, Chemotherapy, OTC, Veterinary), "Item Status" (Active, Inactive), and "New Item Request" (Approved, Pending, Rejected). The "where" section has a dropdown set to "None" and a "Contains" dropdown. A dropdown list is open, showing a list of NDC fields such as "All Designated Fields", "Color", "Imprint", "Imprint2", "Manufacturer", "NDC", "NDC Dispense Units per Order Unit", "NDC Item Inactivation Date", "Order Unit", "OTC/RX Indicator", "Package Size", "Package Type", "Previous NDC", "Previous UPC/UPN", "Product Number", "Proposed Inactivation Date", "Protect from Light", "Refrigeration", "Scored", "Shape", "Single/Multi Source", "Source", "Ten-Digit NDC", "Ten-Digit NDC Format Indication", "Trade Name", and "UPC/UPN". A "Search" button is located to the right of the dropdown list.

Figure 21: Advanced Search Dropdown List

The user will select the appropriate NDC field in the dropdown list and the search field constraint (Contains, Begins With, Is Exactly) in the second dropdown list. Depending on the NDC field selected, the last field of the three shown could become a dropdown list (e.g., Manufacturer), a text field as shown, or a checkbox. The user will then select the appropriate response or enter the text string. The result would appear similar to the following:

The screenshot shows a close-up of the search parameter field. The "where" dropdown is set to "Protect from Light" and the "Contains" dropdown is set to "Contains". There is a small square icon to the right of the "Contains" dropdown. Below the dropdowns is an "Add" button. A "Search" button is located to the right of the "Add" button.

Figure 22: Advanced Search Parameter

The user can perform the search on this one field by clicking the “Search” button, or the user can decide to add another search parameter. Typically, the user would perform the search and if too many results were returned, the user would add another parameter by clicking on the “Add” button which will present the following:

The screenshot shows a search interface with the following elements:

- A "where" label followed by a dropdown menu containing "Protect from Light".
- A dropdown menu containing "Contains".
- A checkbox followed by a dropdown menu containing "AND".
- A second row with a dropdown menu containing "Package Type".
- A dropdown menu containing "Contains".
- A text input field containing "PACKAGE".
- A dropdown menu on the right side of the second row.
- An "Add" button on the left side.
- A "Search" button on the right side.

Figure 23: Advanced Search Multiple Parameters

As in the example above, when the user clicks the “Add” button, the logical operator (AND/OR) dropdown list is placed at the end of the first selection, and then a second row is added so that the user can select other parameters.

How the Logical Operators Work

The advanced search capability allows for the use of two logical operators:

- AND – display search results that match the first item AND the second item
- OR – display search results that match all parameters before the operator (OR) or after the operator

In the example below, PPS-N will match all database items that have Protect from Light unchecked AND Package Type of Box as well as (OR) all items that have a Package Size of 100.

The screenshot shows a search interface with the following elements:

- A "where" label followed by a dropdown menu containing "Protect from Light".
- A dropdown menu containing "Contains".
- A checkbox followed by a dropdown menu containing "AND".
- A second row with a dropdown menu containing "Package Type".
- A dropdown menu containing "Contains".
- A text input field containing "PACKAGE".
- A dropdown menu containing "OR".
- A third row with a dropdown menu containing "Package Size".
- A dropdown menu containing "Contains".
- A text input field containing "100".
- An "Add" button on the left side.
- A "Search" button on the right side.

Figure 24: Advanced Search And/Or Logic

4. Execute the Search

Once the user is satisfied with the parameters, then the user will click the “Search” button which will display the search results in a table below the parameters as shown below:

The screenshot shows an advanced search interface. At the top, there are three search criteria: 'Protect from Light' (with a dropdown arrow), 'Contains' (with a dropdown arrow), and 'AND' (with a dropdown arrow). Below this, there are two more criteria: 'Package Type' (with a dropdown arrow), 'Contains' (with a dropdown arrow), 'PACKAGE' (with a dropdown arrow), and 'OR' (with a dropdown arrow). The third criterion is 'Package Size' (with a dropdown arrow), 'Contains' (with a dropdown arrow), and '100' (with a text input field). There are 'Add' and 'Search' buttons. Below the search criteria, there is a link 'Back to Simple Search' and the text 'Search Results'. A message states '7 items found, displaying all items.' Below this is a table with 5 columns: 'Select', 'NDC', 'Package Size', 'Package Type', and 'Manufacturer'. The table contains 7 rows of search results.

Select	NDC	Package Size	Package Type	Manufacturer
<input type="checkbox"/>	33045-0387-04	28.0	PACKAGE	JANSSEN PHARM
<input type="checkbox"/>	00182-0141-01	100.0	BOTTLE	IVAX
<input type="checkbox"/>	62794-0146-01	100.0	BOTTLE	BERTEK
<input type="checkbox"/>	00310-0131-10	100.0	BOTTLE	ASTRA ZENECA
<input type="checkbox"/>	00006-0237-58	100.0	BOTTLE	MSD
<input type="checkbox"/>	00054-4744-25	100.0	BOTTLE	ROXANE LABS
<input type="checkbox"/>	33045-0387-05	100.0	BOTTLE	ENDO LABS

Figure 25: Advanced Search Results

5. Export Search Results

If the user wants to export the search results, the user will click the appropriate button shown in the export panel: 1) CSV or 2) Excel

The screenshot shows an export bar with the text 'Export: CSV | Excel'. The 'Excel' option is selected, indicated by a checkmark icon.

Figure 26: Advanced Search Export Bar

This will launch a dialog that allows the user to view or save the results.

6. Save the Search Results Template

As described earlier, the user may save the search parameters as a search template. Below the search results table, the user will note the following:

- Save As – enter the name of the search template
- Notes – optional text to describe the template
- Save At – dropdown list for defining the access level of search template. Personal Template is just for the user while National System Template is provided for those users with PPS-N supervisor role to save templates that are made available to all users



The screenshot displays a form for saving a search template. It includes a text input field for 'Save As:', a larger text area for 'Notes:', and a dropdown menu for 'Save At:' with 'Personal Template' selected. To the right of these fields are three buttons: 'Save Template' (highlighted in blue), 'Set As Default', and 'Change Search Results Template'. Below the 'Save At:' dropdown is a blue hyperlink labeled 'Create New NDC (from blank)'.

Figure 27: Save Advanced Search Template

Once the user enters the name, optional description, and the template access level, the user will then click the “Save Template” button.

7. Change Search Results Template

The advanced search capability also allows the user to define the data fields that should be displayed in the search results table, and also saved in the search results template. To accomplish this the user will click the “Change Search Results Template” button. This will launch a page similar to the following (for NDC).




Figure 28: Change Advanced Search Template

The Available Fields panel on the left lists those fields that are available for selection. The Selected Fields panel displays those data fields that have already been selected and the order in which they should be display in the table. To make changes, the user will highlight the items in the Available Fields panel that they want to include in their search results and use the right “>” button to move the item(s) to the Selected Fields panel. If needed, the user may move an item back to the Available Fields panel using the left “<” button.

The user may also reposition the items in the Selected Fields panel by selecting an item and then using the “Up” and “Down” buttons.

Once the user is satisfied with the items in the Selected Fields panel, the user will click the “Submit” button to save the changes.

Move Products or NDCs

While viewing drug information, the user will have an option to move the children of that item to a different parent (Product or Orderable Item). .

1. While viewing an Orderable Item, it will have a Products tab that displays a table with those products associated with that Orderable Item.

UNITED STATES DEPARTMENT OF VETERANS AFFAIRS
PPS-N PHARMACY PRODUCT SYSTEM - NATIONAL

Skip to main content
 Welcome, First Name - Logout - PPS-National Manager - 999

Home Manage PPS Reports COTS Services User Preferences Help

Enter / Edit Items Requests Saved Work in Progress PPS Data Elements PPS Data Requests

Simple Search > Edit Orderable Item [Page Help](#) [Provide Feedback](#)

PPS OI Name : ACETAMINOPHEN-N TAB
 Item Status : Active Dosage Form : TAB
 OI Safety Indicator : NO

Details Safety Labs & Vitals **Products** History A - Z * = required fields

2 items found, displaying all items.

Select	VA Product Name	Print Name	Generic Name	Primary Class	CMOP (National)	New Item Request	F/NF	Application PKG	NDCs	Inactivation Date
<input type="checkbox"/>	ACETAMINOPHEN 325MG TAB	ACETAMINOPHEN 325MG TAB	ACETAMINOPHEN	CN103 #	Yes	Approved	F	X	1	
<input type="checkbox"/>	ACETAMINOPHEN 500MG TAB	ACETAMINOPHEN 500MG TAB	ACETAMINOPHEN	CN103 #	Yes	Pending	F	X	0	

Select All Move Products

[Create New Product \(from blank\)](#) [Create New OI \(from existing\)](#)

Figure 29: Processes on the Products Tab

This tab provides a “Move Products” button that starts a process for assigning any selected (checked) products to a new Orderable Item. The process is as follows:

- Select one or more of the Products (check the checkbox in the Select column).
- Click the “Move Products” button.
- Fill in the “Search For” text box, select the appropriate parameters and filters, and click the “Search” button.

Orderable Item Search : Moving Products

Search Criteria for Orderable Item Search

Search For *: a%tab Search Field : PPS OI Name Dosage Form : Item Status: Active Inactive New Item Request: Approved Pending Rejected

SEARCH RESULTS

6 items found, displaying all items.

PPS OI Name	OI Type	Dosage Form	OI Synonym	New Item Request	Item Status	Cat	Products
ACARBOSE TAB	National	TAB		Approved	Active	Medication	1
ACETAMINOPHEN-N TAB	National	TAB	D125, D125/30, D130, D230, D25, LANOXIN	Approved	Active	Medication	2
AMOXICILLIN/CLAVULANATE TAB	National	TAB		Approved	Active	Medication	1
LORAZEPAM TAB	National	TAB		Approved	Active	Medication	1
SIMVASTATIN TAB	National	TAB	ZOCOR	Approved	Active	Medication	1
WARFARIN TAB	National	TAB		Approved	Active	Medication	1

Export: [CSV](#) | [Excel](#)

Figure 30: "Search For" Text Box

- Select the link of the desired Orderable Item in the PPS OI Name column.
- When returned to the Products tab, verify that the Products have been removed from the table.

- While viewing a Product, it will have an NDCs tab that displays a table with the associated NDCs. This tab provides a “Move NDCs” button that starts a process for assigning any selected (checked) NDCs to a new Product.

The screenshot shows the PPS-N National Pharmacy Product System interface. The top navigation bar includes Home, Manage PPS, Reports, COTS Services, User Preferences, and Help. The main content area displays the product details for ACETAMINOPHEN 325MG TAB. Below the product details, there are tabs for National Data, Drug Data, Quick Actions, Application Data, Dispense Data, Administration Data, NDCs, History, and A-Z. The NDCs tab is active, showing a table of NDCs with columns for Select, NDC, Trade Name, VSN, Package Size, Package Type, PPOU, PPDU, Manufacturer, Item Status, and UPC/UPN. A single NDC is listed: 00182-0141-01, ACETAMINOPHEN TAB, 1000, 100.0, BOTTLE, 0, 0, IVAX, Active, 7838FOP3233444. Below the table, there are buttons for Select All, Move NDCs, and Copy NDCs to New Product. At the bottom, there are buttons for Cancel, Save Work in Progress, Change OI, and Submit.

Figure 31: Processes on the NDCs Tab

This process is similar to that described above for Moving Products.

- While viewing the Product’s NDCs tab (shown above), there is also a “Copy NDCs to New Product” button that starts a process for making a copy of the selected (checked) NDCs, assigning them to a new Product, and then requiring the user to make some changes to the NDCs. The process is as follows:
 - Select one or more of the NDCs (check the checkbox in the Select column).
 - Click the “Copy NDCs to New Product” button.
 - On the Add New National Product page, make the appropriate changes since you are creating a new product.
 - Click the “Submit” button.
 - Review the information shown on the Confirmation page and then click the “Accept Changes to Product & Edit NDCs” button.
 - On the Add New NDC page, make the appropriate changes since you are creating a new NDC and click the “Submit” button.
 - Review the information shown on the Confirmation page and then click the “Save NDC” button.
 - If more than one NDC was selected in step a above, continue steps f and g until you reach the final confirmation page which will have the “Save Final NDC” button for selection.
 - Click the “Ignore” or “OK” button on the Committed Changes page.

Requests Tab

Once a new item, such as a Product, has been created and saved to the database, its approval state is marked as “Pending”, indicating that it needs to be reviewed and approved. This is also the case for some item modifications where the user makes a change to an existing item and that change also requires review and approval. These items are now considered approval requests, and are made available to users with appropriate permissions to approve such requests. To view these “Pending” requests, the user selects the Requests tab. As shown below, the items in the ‘Pending’ state are organized in various sub-states so that the user can use these as filters when they perform a search for the pending requests.




Figure 32: Requests Tab

1. Select the Appropriate Filter Checkbox(es)

To view the requests, the user will select the appropriate checkbox(es) and then click the “Search” button. Descriptions of the various request type filters (sub-states) are below:

Table 5: Request Type Filters

Request Type Filters	
All Requests	This is the default check box selection, and it will display all requests that are pending action.
Pending Addition	Choose this filter to display those pending requests with a Request Type of Addition and a Request Status of Pending Approval.
Pending 2nd Approval Addition	Choose this filter to display those pending requests with a Request Type of Addition and a Request Status of Pending Second Approval.
Pending Modification	Choose this filter to display those pending requests with a Request Type of Modification and a Request Status of Pending Approval.
Pending 2nd Approval Modification	Choose this filter to display those pending requests with a Request Type of Modification (an existing item was changed) and a Request Status of Pending Second Approval
Under Review	Choose this filter to display those requests that were placed Under Review
Marked for PSR	Choose this filter to display those requests that were Marked for PSR (Peps Second Reviewer).
Change Request	Choose this filter to display those requests that were marked as

Request Type Filters	
	a Change Request
Not Last Reviewer	Choose this filter to display those requests for which you were not the last reviewer, meaning you can approve any of those that are displayed.

2. Review Requests

When the user clicks the “Search” button on the requests page, PPS-N will display those requests that matched the filters. In the example shown below, the user searched for “All Requests” and there was only one in the database. If the search had returned no matches to the filter settings, then PPS-N would have displayed “Nothing found to display” below the table. In that instance, the user should select different filter settings and click the “Search” button again.

The screenshot shows the PPS-N interface with a search filter for 'All Requests' selected. The search results table is titled 'Pending Requests' and contains two entries:

Name/NDC	Generic Name	Str	Unit	Dosage Form	Dispense Unit	Type	Cat	Request Type	Request Status	Date Submitted	Reviewed By	Under Review	PSR Name
ACETAMINOPHEN 500MG TAB	ACETAMINOPHEN	500	MG	TAB	TAB	Product	Medication	Addition	Pending Second Approval	29-Aug-2012 14:46	999:PNM1N1	No	
DIGOXIN 0.25MG TAB	DIGOXIN	0.25	MG	TAB	TAB	Product	Medication	Modification	Pending Second Approval	29-Aug-2012 15:04	999:PNM2N2	No	

Figure 33: Requests Search Results

3. Approve Requests

The search results table provides basic information on each request as shown above. As a request, the user will note three relevant columns, “Request Type”, “Request Status”, and “Reviewed By”.

- “Request Type” – Modification (existing item changed) or Addition (new item created)
- “Request Status” – Pending Second Approval
- “Reviewed By” – the name and id of the user that created the item or made the change. This is important to note because a user cannot provide a second approval of an item they changed or created.

The user clicks on the appropriate item link in the first column labeled “Name/NDC” When selected, PPS-N will display the addition or modification page for the item chosen, and it is displayed similar to the previously described edit or view pages except that it contains one or more new tabs and some different buttons.

Product Addition Request

In the Product Addition Request shown below, the user is presented with the typical edit page except that a new tab has been added, “Change Request”. This new tab includes the first and last name of the user that created the new item along with a block where they might have entered comments relevant to this new item request.

The screenshot displays the 'Product Addition Request' form for 'ACETAMINOPHEN 500MG TAB'. The form is divided into several sections:

- Product Information:**
 - Product: ACETAMINOPHEN 500MG TAB
 - Primary Class: CN103 - NON-OPIOID ANALGESICS
 - Category: Medication
 - PPS OI Name: ACETAMINOPHEN-N TAB
 - Application Package Use: X
 - Item Status: Active
 - New Item Request: Pending
- National Data / Change Request:**
 - VA Product Name: ACETAMINOPHEN 500MG TAB
 - Generic Name: ACETAMINOPHEN
 - Product Strength: 500
 - Product Unit: MG
 - VA Dispense Unit: TAB
 - VA Print Name: ACETAMINOPHEN 500MG TAB
 - VA Product ID: (empty)
 - CMOP Dispense (National):
 - Exclude DDI Check:
 - Override DF Check Exclusion:
 - Auto-Create Possible Dosage:
 - Possible Dosages To Create: (empty)
 - Product Package: (empty)
 - FDA Med Guide: (empty)
 - VA Drug Classes:

VA Drug Class	Primary	Remove
CN103 - NON-OPIOID ANALGESICS	<input checked="" type="checkbox"/>	Remove
- Active Ingredient:**

Ingredient Name	Strength	Drug Unit	Remove
ACETAMINOPHEN	500	MG	Remove
- Synonyms:**

Synonym Name	Use	NDC Code	VSN	Order Unit	PPOU	DUOU	PPDU	Vendor	Remove
Add New Row									

At the bottom of the form, there are several buttons: Cancel, Save Work in Progress, Change OI, Accept Product, Reject Product, and Under Review. A link 'Create New Product (from existing)' is also present.

Figure 34: Approve Addition Request

The bottom of the page contains the typical three buttons: “Cancel”, “Save Work in Progress”, and “Change OI”. However, they are also presented with some new buttons. Typically, the user will review the information presented on the National Data tab (and others if they so choose) and then click the “Accept Product” button (for a product request). They may also make changes before they accept the product request. In this case, if they select a second review field, this item with the new changes (after approval in the next step) will again be placed in the “Pending” state and be submitted for review by another second reviewer.

1. Confirm Request Approval

This screen is used to allow the user to confirm the changes that they made on the previous screen and to add comments as well.

UNITED STATES DEPARTMENT OF VETERANS AFFAIRS
PPS-N PHARMACY PRODUCT SYSTEM - NATIONAL

Welcome, [First Name](#) . [Logout](#) .
PPS-National Manager - 999

Home Manage PPS Reports COTS Services User Preferences

Enter / Edit Items Requests Saved Work in Progress PPS Data Elements PPS Data Requests

[Search Requests](#) > [Edit Product Request](#) > [Request Summary](#) [Help](#) [Provide Feedback](#)

The item has generated the following warnings:

- For the product you just submitted, the VA Print Name ACETAMINOPHEN 500MG TAB already exists with the corresponding CMOP ID A0037

Summary for Product : ACETAMINOPHEN 500MG TAB

New Comments :

Old Comments :

PSR Name :

Field names marked with [conflict] and light yellow highlight indicate a field with conflicting values.
There are no pending modification requests to this item.

Figure 35: Approve Request Confirmation

2. Reject the Approval Request or Place Under Review

Additionally, the reviewer has two other buttons available:

- “Under Review” – take no action at this time other than place this item in the “Under Review” state which allows the user to return to the Requests tab at a later time and use the “Under Review” filter to locate this item.
- “Reject Product” (for a product) – reject the new addition request. This will present a new page so the user can provide details concerning this rejection. A sample of this page is below.

UNITED STATES DEPARTMENT OF VETERANS AFFAIRS
PPS-N PHARMACY PRODUCT SYSTEM - NATIONAL

Welcome, First Name . Logout . PPS-National Manager - 999

Home Manage PPS Reports COTS Services User Preferences Help

Enter / Edit Items Requests Saved Work in Progress PPS Data Elements PPS Data Requests

Search Requests > Edit Product Request > Confirm Reject Page Help Provide Feedback

Provide Details for the Rejection

Fields marked with * are required

Request Rejection Reason : Inappropriate request

Rejection Reason Comment * : Duplicate request

Old Comments : [Text Area]

Enter any optional comments here: [Text Area]

Cancel Submit

Figure 36: Rejection Details

The user will select one of the three choices in the “Request Rejection Reason” dropdown list, enter a “Rejection Reason Comment”, and potentially enter optional comments in the block on the right. The user will then select the “Submit” button to save this rejection update to the database.

Modification Request

In the Product Modification Request shown below, the user is presented with the typical edit page except that there are two new tabs added, “Change Request” and “Pending Modification”. This latter tab presents a table of the modifications.

UNITED STATES DEPARTMENT OF VETERANS AFFAIRS
PPS-N PHARMACY PRODUCT SYSTEM - NATIONAL

Welcome, First Name . Logout . PPS-National Manager - 999

Home Manage PPS Reports COTS Services User Preferences Help

Enter / Edit Items Requests Saved Work in Progress PPS Data Elements PPS Data Requests

Search Requests > Edit Product Request Page Help Provide Feedback

Product : DIGOXIN 0.25MG TAB
 Primary Class : CV800 - ACE INHIBITORS
 Category : Medication

PPS OI Name : DIGOXIN TAB
 Application Package Use : X
 Item Status : Active
 New Item Request : Approved

Product Modification Request

National Data Pending Modification Change Request Show All Tabs * = required fields

Action	Field Name	Current Value	Requested Value	Reason	Request to Modify Field Values	Request to Make Field Editable	Requested By	Reviewed By	Comments
Approved	VA Drug Classes	CV050 - DIGITALIS GLYCOSIDES	CV800 - ACE INHIBITORS		<input checked="" type="checkbox"/>	<input type="checkbox"/>	999.PNM2N2	999.PNM2N2	

Cancel Save Work in Progress Change OI Under Review Accept Actions


Create New Product (from existing)

Figure 37: Pending Modification

Note that the table identifies the field that was changed, the current and requested values, which user requested the change, and the reviewer/approver information. It also includes an “Action” column where the user can mark each individual proposed modification as “Approved” (approve the change), “Pending” (leave it in the pending state), or “Rejected” (reject the change). The user will review the item(s) in this table, make any appropriate changes in the Action column, added comments if they choose, and then either click the “Accept Actions” button or place this item “Under Review”.

Saved Work in Progress Tab

Occasionally, the user will be in the middle of modifying an item when they need to do something else. Therefore, on the item edit page, they selected the “Save Work in Progress” button and gave it a name or provided a comment. When they return to PPS-N, they can choose the Saved Work in Progress tab and retrieve previously saved items listed in the table as shown below. It should be noted that item modifications will be saved automatically if a system time-out occurs, an entry will be placed in the Saved Work In Progress table.



The screenshot shows a web browser window with the URL <http://localhost:8021/PRE/managePartialItem.go>. The browser's address bar shows the page title "PPS-N - Saved Work in Pro...". The page header includes the United States Department of Veterans Affairs logo and the text "PPS-N PHARMACY PRODUCT SYSTEM - NATIONAL". A navigation menu contains "Home", "Manage PPS", "Reports", "COTS Services", and "User Preferences". Below this, a sub-menu includes "Enter / Edit Items", "Requests", "Saved Work in Progress", "PPS Data Elements", and "PPS Data Requests". The "Saved Work in Progress" sub-menu is active, and a link "Saved Work in Progress" is visible. The main content area is titled "Work in Progress" and contains a table with the following data:

Select	Saved Work in Progress Category	Comment	Created By	Date Modified
<input type="checkbox"/>	PRODUCT MODIFICATION	Revising Acetaminophen 325MG	PNM1N1	05-Mar-2012 14:00

Below the table are two buttons: "Select All" and "Delete".

Figure 38: Saved Work in Progress

Selecting the link in the “Comment” column will return the user to the appropriate edit page and the user can continue with more changes and finally submit the item.

There is one cautionary note. Presently, once the user selects the item in the “Comment” column, it will be removed from the table. Therefore, the user must then complete the edit process for that item or once again use the “Save Work in Progress” button to place it back in this table.

PPS Data Elements Tab

Rather than enter text for every data field in PPS-N, it includes a number of drop down lists that make it easier for users to select the appropriate entry while ensuring consistency from user to user and drug to drug. These drop down lists involve what PPS-N terms drug “domains” but they are just lists of related data elements. These drug domains are available in the PPS Data Elements tab.




Figure 39: PPS Domain Search

1. Search Domains in PPS Data Elements

There are multiple domain lists that can be managed within PPS-N. The “Search Field” dropdown list shown below lists the types of domain that can be viewed or edited. It should be noted that the Standard Med Route Name items can only be viewed, not edited.




Figure 40: PPS Domain Search Fields

2. Review Search Results in PPS Data Elements

After the user has selected the appropriate domain in the “Search Field” dropdown list, the user will then enter the search criteria text in the “For” textbox and click the “Search” button. The results will be displayed in the search results table as shown below. Note that the text entered in the “For” textbox can include two wildcards, “_” (for any character) and “%” (for any string of characters).

SEARCH RESULTS

One item found.

Name	New Item Request	Item Status	Inactivation Date
ADAPTER	Approved	Active	

Figure 41: PPS Domain Search Results

3. Select and Review/Edit Domain Item Details

From the search results table, the user will click on the appropriate item link in the “Name” column. This will display the details of the domain item that was chosen. To modify an item, the user then clicks the hyperlink in the “Field Name” column which displays the current value in a pop-up window and allows the user to edit the value if that field is editable.

Note that below the A-Z tab itself, there is a legend which describes three possible attributes that may be displayed in brackets [] following the name in the “Field Name” column.

- * – red asterisk indicates a required field which must have a Current Value
- L – local-only field that is not editable by a national manager
- R – read-only field that cannot be edited

In the example shown below, the user performed a Dosage Form search and selected the ADAPTER in the search results table. This displayed the edit page for that domain item, and showed the “A-Z” tab which lists all the related data fields and their current values. Once the user makes any changes in the pop-up window, the user will click the “Save Changes” button which will update the Current Value shown on the page for that domain item. Once the user is done making all changes; then the user will click the “Submit” button to save the changes to the database.

The screenshot shows the PPS-N (Pharmacy Product System - National) web application interface. The browser address bar shows the URL: `http://localhost:8021/PRE/dosage_form/999210/edit.go`. The page title is "PPS-N - Edit Dosage Form".

The navigation menu includes: Home, Manage PPS, Reports, COTS Services, User Preferences, Enter / Edit Items, Requests, Saved Work in Progress, PPS Data Elements, PPS Data Requests, Search Domains > Edit Dosage Form, Help, and Provide Feedback.

The main content area is titled "Dosage Form" and features a "History" tab with an "A - Z" filter. A table lists various fields and their current values:

Field Name	Current Value
Conjunction (L)	
Dispense Units Per Dose	Click link for details
Dosage Form Name	ADAPTER
Dosage Form Nouns (L)	Click link for details
Dosage Form Units	Click link for details
Exclude from Dosage Checks	
Inactivation Date	
Item Status	Active
Med Route for Dosage Form (L)	
NDF Dosage Form IEN	999210
Other Language Preposition (L)	
Other Language Verb (L)	
Preposition (L)	
Verb (L)	

Below the table are buttons for "Cancel", "Inactivate", and "Submit".

A pop-up window titled "PPS-N - Edit Dosage Form - Windows Internet Explorer" is open, showing the "Dispense Units Per Dose" section. It contains a table with the following data:

Dispense Unit per Dose	Possible Dosages Package	Remove
1	Inpatient O-Outpatient	Remove

Below the table are buttons for "Add New Row", "Cancel", and "Save Changes".

Figure 42: PPS Domain Edit

4. Accept Changes for the Domain Item

When the user clicks the “Submit” button on the domain item page, PPS-N will display a confirmation page that contains a table showing a summary of the changes the user made. If the changes are correct, the user will click the “Accept Changes” button and the changes will be saved to the database. If the user needs to undo or modify the change, the user will click the “Cancel” button and PPS-N will return to the previous page.

Modification Summary for Name: ADAPTER

Modification Summary for Data Fields

Field Name	Current Value	Requested Value	Reason	Accept Change	Requires Second Approval
Item Status	ACTIVE	INACTIVE	TESTING	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Cancel Accept Changes

Figure 43: PPS Domain Edit Summary

Error During Domain Item Modification

There will be occasions when PPS-N will display an error message that prevents the modification. As shown below, the user attempted to inactivate a Dosage Form and PPS-N displayed an error message indicating that this change cannot be made because the dosage form is part of active items. In this case, the user will need to cancel the modification and revise the affected items before the domain item can be inactivated.

The screenshot shows the PPS-N (Pharmacy Product System - National) interface. At the top, there is a navigation bar with links for Home, Manage PPS, Reports, COTS Services, User Preferences, and Help. Below this is a secondary navigation bar with links for Enter / Edit Items, Requests, Saved Work in Progress, PPS Data Elements, and PPS Data Requests. A breadcrumb trail indicates the current path: Search Domains > Edit Dosage Form > Modification Summary. A yellow error message box is displayed, stating: "Error Messages: The system is unable to inactivate this Dosage Form because 13 OrderableItems (s) including ACETAMINOPHEN-N TAB depend on it being active." Below the error message, there is a section for "Modification Summary for Name: TAB" with a text input field for "PSR Name". Underneath, a "Modification Summary for Data Fields" table is shown, with columns for Field Name, Current Value, Requested Value, Reason, Accept Change, and Requires Second Approval. The table contains one row for "Item Status", where the current value is "ACTIVE" and the requested value is "INACTIVE". The "Accept Change" checkbox is checked, and the "Requires Second Approval" checkbox is unchecked. At the bottom of the table, there are "Cancel" and "Accept Changes" buttons.

UNITED STATES
DEPARTMENT OF VETERANS AFFAIRS
PPS-N PHARMACY PRODUCT SYSTEM - NATIONAL

Welcome, First Name . Logout .
PPS-National Manager - 999

Home Manage PPS Reports COTS Services User Preferences Help

Enter / Edit Items Requests Saved Work in Progress PPS Data Elements PPS Data Requests

Search Domains > Edit Dosage Form > Modification Summary Page Help Provide Feedback

Error Messages:

- The system is unable to inactivate this Dosage Form because 13 OrderableItems (s) including ACETAMINOPHEN-N TAB depend on it being active.

Modification Summary for Name: TAB

PSR Name :

Modification Summary for Data Fields

Field Name	Current Value	Requested Value	Reason	Accept Change	Requires Second Approval
Item Status	ACTIVE	INACTIVE	<input type="text"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Figure 44: Error Messages

5. Create New Domain Item

If the user searched for a domain item and an appropriate entry was not found, the user could create one using the Open Blank Template link that is found below the search results table, as shown below.




Figure 45: Open Blank Template Link

Each of the domain templates is different. Some are very short, while others, like the Dosage Form Name template shown below, have lots of fields that could be completed. When the page appears, the user will complete the relevant fields, and as a minimum all of the required fields (indicated by a red asterisk *).




Figure 46: Dosage Form Template

When the user is finished entering the appropriate information for the new domain item, the user will click the "Submit" button and the domain item will be saved to the database.

PPS Data Requests Tab

Once a new domain item has been created and saved to the database, its approval state is marked as “Pending”, indicating that it needs to be reviewed and approved. This is also the case for some item modifications where the user makes a change to an existing item and that change also requires review and approval. These items are now considered approval requests, and are made available to users with appropriate permissions to approve such requests. To view these “Pending” domain item requests, the user selects the PPS Data Requests tab. As shown below, the items in the ‘Pending’ state are organized in various sub-states so that the user can use these as filters when they perform a search for the pending domain requests.




Figure 47: PPS Data (Domain) Requests

1. Select the Appropriate Filter Checkbox(es)

To view the requests, the user will select the appropriate checkbox(es) and then click the “Search” button. Descriptions of the various request type filters (sub-states) are below:

Table 6: Domain Request Type Filters

Request Type Filters	
All Requests	This is the default check box selection, and it will display all requests that are pending action.
Pending Addition	Choose this filter to display those pending requests with a Request Type of Addition and a Request Status of Pending Approval.
Pending 2nd Approval Addition	Choose this filter to display those pending requests with a Request Type of Addition and a Request Status of Pending Second Approval.
Pending 2nd Approval Modification	Choose this filter to display those pending requests with a Request Type of Modification (an existing item was changed) and a Request Status of Pending Second Approval
Under Review	Choose this filter to display those requests that were placed Under Review
Marked for PSR	Choose this filter to display those requests that were Marked for PSR (Peps Second Reviewer).

Request Type Filters	
Change Request	Choose this filter to display those requests that were marked as a Change Request
Not Last Reviewer	Choose this filter to display those requests for which you were not the last reviewer, meaning you can approve any of those that are displayed.

2. Review Domain Requests

When the user clicks the “Search” button on the requests page, PPS-N will display those domain requests that matched the filters. In the example shown below, the user searched for “All Requests” and there was only one in the database. If the search had returned no matches to the filter settings, then PPS-N would have displayed “Nothing found to display” below the table. In that instance, the user should select different filter settings and click the “Search” button again.

The screenshot shows the PPS-N web application interface. At the top, there is a navigation menu with options like Home, Manage PPS, Reports, COTS Services, and User Preferences. Below this, there are tabs for Enter / Edit Items, Requests, Saved Work in Progress, PPS Data Elements, and PPS Data Requests. The main content area is titled "Search Domain Requests" and contains several filter checkboxes: Pending Addition, Pending 2nd Approval Addition, Pending 2nd Approval Modification, All Requests (checked), Under Review, Marked for PSR, Change Request, and Not Last Reviewer. A "Search" button is located below the filters. Below the search area, there are tabs for "Pending Requests" and "COTS Update". At the bottom, a table displays the search results.

Name	Request Type	Type	Request Status	Date Submitted	Reviewed By	Under Review	PSR Name
ADAPTER	Modification	Dosage Form	Pending Second Approval	05-Mar-2012 14:16	999.PNM1N1	No	

Figure 48: PPS Domains Requests Results

3. Approve Requests

The search results table provides basic information on each request as shown above. As a request, the user will note three relevant columns, “Request Type”, “Request Status”, and “Reviewed By”.

- “Request Type” – Modification (existing item changed) or Addition (new item created)
- “Request Status” – Pending Second Approval
- “Reviewed By” – the name and id of the user that created the item or made the change. This is important to note because a user cannot provide a second approval of an item they changed or created.

The user clicks on the appropriate item link in the first column labeled “Name” When selected, PPS-N will display the addition or modification page for the item chosen, and it is displayed similar to the previously described edit or view pages except that it contains one or more new tabs and some different buttons.

4. Review the Pending Changes

As shown in the figure below, the user will note one or two new tabs added to the domain item view/edit page. For an Addition request, the user will see the “Change Request” tab and it will identify the requester by first name and last name along with any comments they entered. The user will view the item details and then use the new buttons to Approve or Reject the request, or place it Under Review. For a modification request, PPS-N also displays the “Pending Modification” tab which shows the field that was changed, the current and requested values, the requester, and any reasoning provided for the modification. The user will review the changes and then indicate the appropriate response using the dropdown list in the Action column which can be used to mark the proposed change as Approved, Rejected, or Pending. The user will then place the item “Under Review” or click the “Accept Actions” button.




Figure 49: PPS Domain Request Approval

5. Confirm and Approve the Data Request

When the user clicked the “Accept Actions” button, PPS-N presents a confirmation page. After confirming the changes, the user will once again select the “Accept Actions” button as shown below.




Figure 50: PPS Domain Request Confirmation

PPS-N will now save the modification to the database and return the user to the PPS Data Requests tab.

Reports Tab

When the user wants to generate reports, the user will select the Reports tab as depicted below.




Figure 51: Reports Tab

The user may select a report by clicking the “Select a Report” dropdown list and choosing one of the eight reports listed. Three of these reports include “(download only)” after their name and this indicates that they are generally too large to be viewed on the page and must be downloaded to a file to be viewed.




Figure 52: Select Report

The types of reports and their description are shown in the table below. Those that are viewable are further described later.

Table 7: Available Reports

Report Type	Description
Capture NDF Data*	A complete listing of the Active NDCs in PPS-N as well as a large number of their attributes.


Report Type	Description
Ingredients List*	A complete list of the Active products in PPS-N with each of their ingredients.
Products and Warnings Labels*	A complete list of the Active products in PPS-N with the warning labels for each product that is retrieved from the FDB Drug Information Framework (DIF).
VA Drug Classifications	A complete list of the VA Drug Classes displayed in a hierarchical format with the option of including the Description field by choosing the “with Description” Checkbox.
Products with Exclusion from Drug-Drug Interactions	A list of the products in PPS-N that have had the Drug-Drug Interaction field changes within the time frame chosen.
Active Products with No Active NDCs	A list of all Active Products in PPS-N that do not have Active NDCs.
Active Products with Proposed Inactivation Date	A list of all Active Products in PPS-N that have a proposed Inactivation Date.
VUID Approvals	A list of all the Products, Ingredients, Drug Classes and VA Generics that have been entered into PPS-N, inactivated or reactivated since the start date.

Note: Report types marked with an asterisk (*) are downloadable only. These reports will not be displayed on the screen due to its length.

How to Use the Buttons

Reports – “Get Status” Button

The download-only reports include a “Get Status” button which will retrieve the current report statistics from the database when selected. This information will indicate the last time a report was generated, and when the process Started and Completed. If a report is currently being generated, and the user clicks the “Get Status” button, then the Process Status will indicate that it is Running, the “Generate New” and “Download Current” buttons will be grayed out, and the Completed date will not be filled in.



The screenshot shows a web browser window with the URL `http://localhost:8021/PPS-N/reports.update.go?isFirstRun=false&hasEntityChange`. The page header includes the United States Department of Veterans Affairs logo and the text "PPS-N PHARMACY PRODUCT SYSTEM - NATIONAL". The user is logged in as "First Name" and "PPS-National Manager - 999". The navigation menu includes "Home", "Manage PPS", "Reports", "COTS Services", and "User Preferences". The "Reports" section is active, showing a dropdown menu for "Select a Report" with "Capture NDF Data (download only)" selected. Below the dropdown are three buttons: "Get Status", "Generate New", and "Download Current". The "Get Status" button is highlighted. The main content area displays the "Capture NDF Data Report Download Status" section, which includes the following information:

Capture NDF Data Report Download Status	
Once reports are generated, they will be available for download.	
Process Status:	Not Running
Started:	2012-03-05 02:58:50
Completed:	2012-03-05 02:58:51

Figure 53: Report Status

Reports – “Generate New” Button

The download-only reports also include a “Generate New” button which can be selected to create a new report. After selecting the previously described “Get Status” button, PPS-N will activate this button so it can be selected. When the user clicks the “Generate New” button, a pop-up window will be displayed with a message indicating how long the process will take (see below). Once the user clicks the “OK” button, the process will begin.




Figure 54: Report Generate New

Reports – “Download Current” Button

All of the report pages include a “Download Current” button. When selected, a dialog will be displayed as shown below allowing the user to Open or Save the report, or Cancel the request. The report uses the comma-separated value(.CSV) format and the user can view them via a third party tool such as Microsoft Excel.




Figure 55: Report Download

Reports – “Run Report” Button

For all the reports that are not download only, the user will have a choice to save or view the most recent generated report or to run a new report. For the latter, the user will select the “Run Report” button, and the results will be displayed on the same page. With this option, the user can also select a date range using the “Start Date” and “Stop Date” fields as shown below.

The screenshot shows the PPS-N (Pharmacy Product System - National) interface. At the top, there is a navigation bar with links for Home, Manage PPS, Reports, COTS Services, User Preferences, and Help. The 'Reports' section is active. Below the navigation bar, there is a 'Reports' section with a dropdown menu for 'Select a Report' set to 'Products with Exclusion from Drug-Drug Interactions'. There are two date range selection fields: 'Start Date' (03-Jan-2011 to 03-Jan-2011) and 'Stop Date' (28-Aug-2012 to 28-Aug-2012). Below these fields are two buttons: 'Run Report' and 'Download Current'. A link for 'Print Friendly Version' is also present.

Products with Exclusion from Drug-Drug Interactions Report
Start Date: 01/03/2011 Stop Date: 08/28/2012

VA Product Name	Excluded
DIGOXIN 0.25MG TAB	N
PSEUDOEPHEDRINE HCL 60MG TAB	N
RISPERIDONE 2MG TAB, ORAL DISINTEGRATING	N
ACARBOSE 100MG TAB	N
AMOXICILLIN TRIHYDRATE 500MG/CLAVULANATE K 125MG TAB	N
ATROPINE SO4 1% OINT,OPH	N
CELECOXIB 200MG CAP	N
CEPHALEXIN 250MG/5ML SUSP	N
CLONIDINE 0.3MG/24HRS PATCH	N
IBUPROFEN 400MG TAB	N
WARFARIN NA 7.5MG TAB	N

Figure 56: Run Reports with Date-Time Range

Types of Displayable Reports

The user will select the appropriate displayable report using the dropdown list.

1. Report – VA Drug Classifications

The VA Drug Classifications Report shown below is a listing of all the VA Drug Classes in the system. The user can optionally display the descriptions if desired by clicking the “with Description” checkbox.

The screenshot shows the PPS-N Pharmacy Product System - National interface. The navigation bar includes 'Home', 'Manage PPS', 'Reports', 'COTS Services', and 'User Preferences'. The 'Reports' section is active, showing a dropdown menu for 'VA Drug Classifications' and buttons for 'Run Report', 'Download Current', and 'with Description'. Below the interface is a table listing various drug classes and their descriptions.

AA000	INTRODUCTION
AD000	ANTIDOTES, DETERRENTS AND POISON CONTROL
	AD100 ALCOHOL DETERRENTS
	AD200 CYANIDE ANTIDOTES
	AD400 ANTIDOTES, DETERRENTS, AND POISON CONTROL EXCHANGE RESINS
	AD900 ANTIDOTES/DETERRENTS, OTHER
	AD300 HEAVY METAL ANTAGONISTS
AH000	ANTIHISTAMINES
	AH100 ANTIHISTAMINES, PHENOTHIAZINE
	AH109 ANTIHISTAMINES, OTHER
	AH102 ANTIHISTAMINES, ETHANOLAMINE
	AH103 ANTIHISTAMINES, ETHYLENEDIAMINE
	AH104 ANTIHISTAMINES, ALKYLAMINE
	AH105 ANTIHISTAMINES, PIPERAZINE
	AH106 ANTIHISTAMINES, BUTYROPHENONE
	AH107 ANTIHISTAMINES, PIPERIDINE
AM000	ANTIMICROBIALS
	AM150 CHLORAMPHENICOL
	AM200 ERYTHROMYCINS/MACROLIDES
	AM250 TETRACYCLINES
	AM300 AMINOGLYCOSIDES
	AM500 ANTITUBERCULARS
	AM550 METHENAMINE SALTS ANTIMICROBIALS
	AM600 NITROFURANS ANTIMICROBIALS
	AM650 SULFONAMIDE/RELATED ANTIMICROBIALS
	AM700 ANTIFUNGALS
	AM800 ANTIVIRALS
	AM900 ANTI-INFECTIVES, OTHER
	AM350 LINCOMYCINS
	AM119 BETA-LACTAMS ANTIMICROBIALS, OTHER
	AM114 (INACTIVE) BETA-LACTAM ANTIMICROBIALS
AM111	(INACTIVE) PENICILLIN G-RELATED PENICILLINS
AM112	(INACTIVE) PENICILLINS, AMINO DERIVATIVES
AM114	(INACTIVE) PENICILLINS
AN000	ANTINEOPLASTICS
AN100	ANTINEOPLASTICS, ALKYLATING AGENTS
AN200	ANTINEOPLASTIC ANTIBIOTICS
AN300	ANTINEOPLASTICS, ANTIMETABOLITES

Figure 57: VA Drug Classifications Report

2. Report – Products with Exclusion from Drug-Drug Interactions

The Products with Exclusion from Drug-Drug Interactions Report shows all the products that have been created in PPS-N (during the start and stop dates time period) and shows the VA Product Name and a letter indicating whether or not the product is marked for exclusion – N for No and Y for Yes.

The screenshot shows the PPS-N (Pharmacy Product System - National) interface. The top navigation bar includes 'Home', 'Manage PPS', 'Reports', 'COTS Services', and 'User Preferences'. The 'Reports' section is active, displaying a dropdown menu for 'Select a Report' set to 'Products with Exclusion from Drug-Drug Interactions'. Below this are input fields for 'Start Date' and 'Stop Date', and buttons for 'Run Report' and 'Download Current'. A 'Skip to main content' link is visible in the top right corner, and a welcome message for the user is displayed.

[Print Friendly Version](#)

Products with Exclusion from Drug-Drug Interactions Report

Start Date: Stop Date:

VA Product Name	Excluded
ACETAMINOPHEN 325MG TAB	N
DIGOXIN 0.25MG TAB	N
LISINAPRIL 10MG TAB	N
LISINAPRIL 40MG TAB	N
PSEUDOEPHEDRINE HCL 60MG TAB	N
SIMVASTATIN 40MG TAB	N
ATOMOXETINE 60MG CAP	N
TEMAZEPAM 15MG CAP,ORAL	N
OXYMORPHONE HCL 10MG TAB	N
RISPERIDONE 2MG TAB,ORAL DISINTEGRATING	N
ACARBOSE 100MG TAB	N
AMOXICILLIN TRIHYDRATE 500MG/CLAVULANATE K 125MG TAB	N
ATROPINE SO4 1% OINT,OPH	N
CELECOXIB 200MG CAP	N
CEPHALEXIN 250MG/5ML SUSP	N
CLONIDINE 0.3MG/24HRS PATCH	N
IBUPROFEN 400MG TAB	N
LITHIUM CARBONATE 300MG TAB,SA	N
LINDANE 1% SHAMPOO	N
LORAZEPAM 1MG TAB	N
WARFARIN NA 7.5MG TAB	N
ACETAMINOPHEN 500MG TAB	N

Figure 58: Exclude from DDI Report

3. Report – Active Products with No Active NDCs

As shown below, the Active Products with No Active NDCs Report list all the Active Products in PPS-N that do not have any active NDCs. The user may elect to view the products by selecting the hyperlinked VA Product Name.

The screenshot shows the PPS-N (Pharmacy Product System - National) interface. At the top, there is a navigation bar with links for Home, Manage PPS, Reports, COTS Services, and User Preferences. The 'Reports' section is active. Below the navigation bar, there is a 'Select a Report' dropdown menu with 'Active Products with No Active NDCs' selected. There are 'Run Report' and 'Download Current' buttons. Below the report selection, there is a 'Print Friendly Version' link. The report title is 'Active Products with No Active NDCs Report'. The report content is a table with a header 'VA Product Name' and a list of 13 hyperlinked product names.

VA Product Name
ACARBOSE 100MG TAB
AMOXICILLIN TRIHYDRATE 500MG/CLAVULANATE, K 125MG TAB
ATROPINE SO4 1% OINT,OPH
CELECOXIB 200MG CAP
CEPHALEXIN 250MG/5ML SUSP
CLONIDINE 0.3MG/24HRS PATCH
IBUPROFEN 400MG TAB
LITHIUM CARBONATE 300MG TAB,SA
LINDANE 1% SHAMPOO
LORAZEPAM 1MG TAB
WARFARIN NA 7.5MG TAB
ACETAMINOPHEN 500MG TAB

Figure 59: No Active NDCs Report

4. Report – Active Products with Proposed Inactivation Date

The Active Products with Proposed Inactivation Date Report shown below is a listing of all the active products in PPS-N that have a “Proposed Inactivation Date”. Optionally, the user may select a Start Date to filter the results from the start date to the current date.

The screenshot shows the PPS-N (Pharmacy Product System - National) interface. At the top, there is a navigation bar with the following items: Home, Manage PPS, Reports (selected), COTS Services, and User Preferences. The Reports section is active, displaying a dropdown menu for 'Select a Report:' with 'Active Products with Proposed Inactivation Date' selected. Below this is a 'Start Date:' input field and two buttons: 'Run Report' and 'Download Current'. A 'Print Friendly Version' link is also present. The report title is 'Active Products with Proposed Inactivation Date Report' and the 'Start Date:' is blank. The report data is as follows:

VA Product Name	Proposed Inactivation Date
LISINOPRIL 10MG TAB	10-Nov-2011 07:38
LISINOPRIL 40MG TAB	16-Nov-2011 02:31
PSEUDOEPHEDRINE HCL 60MG TAB	21-Nov-2011 21:30
SIMVASTATIN 40MG TAB	25-Nov-2011 08:45
ATOMOXETINE 60MG CAP	29-Nov-2011 23:51

Figure 60: Proposed Inactivation Date Report

5. Report – VUID Approvals

The VUID Approvals Report shows all products, ingredients, generic names, and drug classes that have been approved, inactivated or reactivated in PPS-N. Before running this report, the user must enter a Start Date or else no results will be displayed.

UNITED STATES DEPARTMENT OF VETERANS AFFAIRS
PPS-N PHARMACY PRODUCT SYSTEM - NATIONAL

Welcome, [First Name](#) . [Logout](#) .
PPS-National Manager - 999

[Home](#) [Manage PPS](#) [Reports](#) [COTS Services](#) [User Preferences](#)

[Reports](#) [Help](#) [Provide Feedback](#)

Select a Report:

Start Date:

Synchronization messaging was turned off on default date.

[Print Friendly Version](#)

VUID Approvals Report

Start Date:

New Products

IEN	VA Product Name	VUID
Nothing found to display.		

Inactivated/Reactivated Products

IEN	Name	VUID	Inactivation Date
Nothing found to display.			

New Ingredients

IEN	Name	VUID
Nothing found to display.		

Inactivated/Reactivated Ingredients

IEN	Name	VUID	Inactivation Date
Nothing found to display.			

New Generic Names

IEN	Name	VUID
Nothing found to display.		

Inactivated/Reactivated Generic Items

IEN	Name	VUID	Inactivation Date
Nothing found to display.			

New Drug Classes

IEN	Name	VUID
Nothing found to display.		

Figure 61: VUID Approvals Report

COTS Services Tab

The user may perform a number of operations dealing with the FDB Drug Information Network through the COTS Services tab.



Figure 62: COTS Services Tab

As shown above, these services include:

- FDB Search – search the FDB database for drug information
- FDB Add – FDB packaged drugs that were added to FDB but not automatically added to PPS-N during the last scheduled FDB Add process
- FDB Update – FDB items that were updated in FDB but not updated in PPS-N during the last scheduled FDB Update process
- Added Report – FDB items that were automatically added to PPS-N during the last scheduled FDB Add process
- Updated Report – FDB items that were automatically updated in PPS-N during the last scheduled FDB Update process

Each of these COTS services is further explained on subsequent pages.

FDB Search Tab

The user can search the FDB database using the query capability on the FDB Search tab as shown below.




Figure 63: FDB Search Tab

1. FDB Search Parameters

The user will first select the type of search using the “FDB Search Option Type” dropdown list which contains All, NDC, Label, Generic, GCNSEQNO, and Drug Class. These are explained in the table below.




Figure 64: FDB Search Options Type

Table 8: FDB Search Option Types

Search Option Type	Description
NDC	The user will need to enter at least 5 digits and the system will search the first five digits of the 11-digit NDC number of the FDB Packaged Drug.
Label	The text entered will be used to search the FDB Label Name Field.
Generic	The text entered will be used to search the FDB Generic Drug Name Field.

Search Option Type	Description
GenSeqNo	The GCN Sequence Number must be a numeric value that corresponds to the GCN Sequence Number of an FDB Generic Drug.
Drug Classifications	The text entered will be used to search the FDB Drug Class fields for both the FDB Generic and the FDB Dispensable Drug.
All	The All search will search each of the above searches and aggregate the results.

The user will then enter the appropriate text in the “FDB Search String” textbox and click the “Perform FDB Search” button. Note that the normal PPS-N data entry validation rules apply for NDC (numeric and correct format) and GCNSEQNO (numeric only) and PPS-N will display an Error Message if the textbox entry does not comply with the rules.

2. FDB Search Results

The FDB search results table shows the FDB Packaged Drugs that match the search criteria in the search that was performed. In the example shown below, 477 items matched the search results for the NDC string '00067' and the first ten results were displayed. Note that the results are limited to the first 501 items that match the query.

The screenshot shows the PPS-N (Pharmacy Product System - National) interface. At the top, there is a navigation bar with links for Home, Manage PPS, Reports, COTS Services, and User Preferences. Below this is a search bar with the following fields:

- FDB Search Option Type: NDC (dropdown menu)
- FDB Search String: 00067 (text input)

A "Perform FDB Search" button is located below the search fields. The results section is titled "RESULTS" and includes links for "Print" and "Export to CSV". A summary line indicates "477 items found, displaying 1 to 10." Below this is a table of search results:

Select	NDC	GCNSEQNO	Package Size	Package Type	Manufacturer	Fdb Generic Name	Label Name	Additional Description	Obsolete Date
<input type="checkbox"/>	00067207016	33	16	BOTTLE	NOVARTIS CONSUM	CAFFEINE	NO DOZ 200 MG CAPLET	MAX STR, COATED CPLT	
<input type="checkbox"/>	00067207036	33	36	BOTTLE	NOVARTIS CONSUM	CAFFEINE	NO DOZ 200 MG CAPLET	MAX STR, COATED CPLT	
<input type="checkbox"/>	00067207060	33	60	BOTTLE	NOVARTIS CONSUM	CAFFEINE	NO DOZ 200 MG CAPLET	MAX STR, COATED CPLT	
<input type="checkbox"/>	00067022904	910	118	BOTTLE	NOVARTIS CONSUM	CHLORPHENIRAMINE-PSEUDOEPH -DM	TRIAMINIC COUGH & COLD LIQUID	NIGHT TIME	
<input type="checkbox"/>	00067022908	910	240	BOTTLE	NOVARTIS CONSUM	CHLORPHENIRAMINE-PSEUDOEPH -DM	TRIAMINIC NIGHT TIME LIQUID		
<input type="checkbox"/>	00067610208	910	240	BOTTLE	NOVARTIS CONSUM	CHLORPHENIRAMINE-PSEUDOEPH -DM	TRIAMINIC NIGHT TIME LIQUID		
<input type="checkbox"/>	00067638104	910	118	BOTTLE	NOVARTIS CONSUM	CHLORPHENIRAMINE-PSEUDOEPH -DM	CHILD TRIAMINIC-D M-S COLD SYR	A/F, GRAPE	
<input type="checkbox"/>	00067021104	911	118	BOTTLE	NOVARTIS CONSUM	CHLORPHENIRAMINE-PSEUDOEPH -DM	TRIAMINIC COLD & COUGH LIQUID		
<input type="checkbox"/>	00067021108	911	236	BOTTLE	NOVARTIS CONSUM	CHLORPHENIRAMINE-PSEUDOEPH -DM	TRIAMINIC COLD & COUGH LIQUID		
<input type="checkbox"/>	00067021118	911	236	BOTTLE	NOVARTIS CONSUM	CHLORPHENIRAMINE-PSEUDOEPH -DM	TRIAMINIC COLD & COUGH LIQUID		

At the bottom of the results table, there are three buttons: "Select All", "Match Results", and "Hide Existing PPS".

Figure 65: FDB Search Results

Also note that there are links on the left and right hand side above the search results table that permit the user to Print or Export to CSV, respectively, all of the items in the search results table.

3. FDB Search – Review NDC Details

The user may click on the hyperlink in the NDC column of the search results to view the Details page for a particular FDB Packaged Drug. This information is displayed directly from the FDB database.

The screenshot displays the PPS-N interface. At the top, there is a navigation bar with links for Home, Manage PPS, Reports, COTS Services, and User Preferences. Below this is a secondary navigation bar with links for FDB Search, FDB Add, FDB Update, Added Report, and Updated Report. The main content area shows search results for NDCs. A table lists several NDCs with checkboxes in the 'Select' column and GCN values in the 'GCN' column. One NDC, 00067022904, is highlighted. To the right of the table is a 'Details' window for this NDC, showing various attributes such as Brand Name, Label Name, Generic Name, Drug Strength, Dose Form Description, Unit Dose Indicator, GCN Sequence Number, Drug Form Code, Drug Class, Duplicate Therapy Classes, Color, Shape, Flavor, Top 200 Rank, Top 50 Gen Rank, Replacement NDC, Previous NDC, and Obsolete Date. The details window also includes buttons for 'Close' and 'Print'.

Figure 66: FDB Item Details

4. FDB Search – “Match Results”

Below the search results table is a “Match Results” button. Selecting this button will start a process whereby the selected NDCs are matched to existing items in PPS-N with the same GCN sequence Number (GCNSEQNO column). To use this process, the user will select one or more NDCs in this list and then click the “Match Results” button. Note that the selected NDCs must all have the same GCNSEQNO or PPS-N will generate an Error Message.

There are also two other buttons the user may use. The “Select All” button will mark (check) all of the checkboxes in the Select column of the table. The “Hide Existing PPS” button will compare all of the NDCs in the search results table and remove those that match NDCs that are already present in PPS-N.

When the user selects the “Match Results” button, PPS-N redirects to the matching page, copies the selected NDC items into the FDB NDCs table on the left half of the page, and displays on the right half of the page any products in PPS-N that matched the GCNSEQNO. At this point, the user has the following options available on this page:

- “Blank Template” button – There are no products suitable as a parent for the selected NDCs so access a blank product template. When the user completes the form and submits the product, associate the NDCs with the product and then save the NDCs to the PPS-N database.
- “Add to Product” button – The user will first select the appropriate product from the VA Products list in the table. Once the button is selected, associate the selected NDCs to the product and save them to the PPS-N database.
- “Use Existing” button – The user will first select a product from the VA Products list in the table. This product will be used as a template to create a new product that will serve as the parent for the selected NDCs. Once the button is selected, create a template using the selected product. When the user makes the desired changes, save the product to the database, associate the NDCs to the new product, and save the NDCs to the database.
- “Product Search” button – No products matched the selected NDCs. When the user selects this button, PPS-N displays the product (parent) search page. The user searches for an appropriate product and selects it from the search results. The previous matching page is displayed again, and the VA Products table now shows the selected product. The user can now select the radio button for that product, and then use one of the other buttons to continue the NDC assignment process.
- “Cancel” button - Return to the FDB search page.

The screenshot shows the PPS-N interface with the following elements:

- Header:** UNITED STATES DEPARTMENT OF VETERANS AFFAIRS, PPS-N PHARMACY PRODUCT SYSTEM - NATIONAL, Skip to main content, Welcome, First Name - Logout, PPS-National Manager - 999
- Navigation:** Home, Manage PPS, Reports, COTS Services, User Preferences, FDB Search, FDB Add, FDB Update, Added Report, Updated Report
- Breadcrumbs:** FDB Add > Match Results, Help, Provide Feedback
- FDB NDCs Table:**

Select All	NDC	Label Name	Package Size	Package Type	GcnSeq No	Fdb Generic Name
<input type="checkbox"/>						
<input checked="" type="checkbox"/>	0536-3086-41	1116	1113	1114	005090	PSEUDOEPHEDRINE HCL 60MG TAB
<input checked="" type="checkbox"/>	0045-0463-29	1124	1121	1122	005090	MCNEIL CONSUMER
- VA PRODUCTS Table:**

Product	Item Status	GCN Sequence No	Use
PSEUDOEPHEDRINE HCL 60MG TAB	APPROVED	005090	<input type="radio"/>
- Buttons:** Blank Template, Add To Product, Use Existing, Product Search, Cancel

Figure 67: FDB Match Results

FDB Add Tab

The FDB DIF is updated on a periodic basis. A background task runs periodically within PPS-N to query the FDB database, identify new products that have been added to FDB since the last scheduled run, and then add the new products to PPS-N.

The FDB Add tab displays FDB Packaged Drugs that were not automatically added during the most recent scheduled FDB Add process. They are displayed in a results table.

The user has two options from this tab. The user can select items and click the “Match Results” button which will redirect PPS-N to the matching process page, add the selected NDCs to the FDB NDCs page, and show any potentially associated products. The rest of the process will be performed using the instructions in the previous section. A second option allows the user to use the “Delete” button to remove selected NDCs from the FDB Add results table..

The screenshot shows the PPS-N interface with the following elements:

- Header:** UNITED STATES DEPARTMENT OF VETERANS AFFAIRS, PPS-N PHARMACY PRODUCT SYSTEM - NATIONAL, Welcome, First Name . Logout . PPS-National Manager - 999
- Navigation:** Home, Manage PPS, Reports, COTS Services, User Preferences, Help, FDB Search, FDB Add, FDB Update, Added Report, Updated Report
- Results Section:** RESULTS, Print, Export to CSV
- Table:** 20 items found, displaying 1 to 10. [First/Prev] 1, 2 [Next/Last]
- Table Columns:** Select, NDC, GCNSEQNO, Package Size, Package Type, Manufacturer, Fdb Generic Name, Label Name, Additional Description, Creation Date
- Table Data:**

Select	NDC	GCNSEQNO	Package Size	Package Type	Manufacturer	Fdb Generic Name	Label Name	Additional Description	Creation Date
<input type="checkbox"/>	60951-652-70	1887	1128	1129	1130	ENDO GEN PROD	1132		18-Nov-2011 00:00
<input type="checkbox"/>	0045-0463-08	3689	1123	1124	1125	MCNEIL CONSUMER	1126		18-Nov-2011 00:00
<input type="checkbox"/>	0182-1061-10	4004	1120	1121	1122	LITHIUM CARBONATE	1123		18-Nov-2011 00:00
<input type="checkbox"/>	10019-178-37	4063	1119	1120	1121	WEST-WARD,INC.	1122		18-Nov-2011 00:00
<input type="checkbox"/>	0574-7110-12	4086	1126	1127	1128	PADDOCK LABS	1129		18-Nov-2011 00:00
<input type="checkbox"/>	0054-0235-24	4091	1125	1126	1127	ROXANE LABS	1128		18-Nov-2011 00:00
<input type="checkbox"/>	0406-8330-01	4096	1117	1118	1119	MALLINCKRODT PH	1120		18-Nov-2011 00:00
<input type="checkbox"/>	0536-3086-41	5090	1113	1114	1115	PSEUDOEPHEDRINE HCL 60MG TAB	1116		18-Nov-2011 00:00
<input type="checkbox"/>	0045-0463-29	5090	1121	1122	1123	MCNEIL CONSUMER	1124		18-Nov-2011 00:00
<input type="checkbox"/>	0009-3481-11	8346	1122	1123	1124	MCNEIL CONSUMER	1125		18-Nov-2011 00:00
- Buttons:** Select All, Match Results, Delete


Figure 68: FDB Add

FDB Update Tab

The FDB DIF is updated on a periodic basis. A background task runs periodically within PPS-N to query the FDB database and identify products that have been updated in FDB since the last scheduled run, and then add certain product updates to PPS-N.

The FDB Update Tab contains a results table showing the FDB items that were updated (modified) in FDB but not automatically updated in PPS-N because they did not match specifically-defined update criteria.

The user can select an NDC link and view an item, and they can also check the checkbox for one or more items and delete them from the list. If the user does not delete them, they remain on the list for 90 days.



The screenshot shows the PPS-N (Pharmacy Product System - National) interface. The header includes the Department of Veterans Affairs logo and the text "PPS-N PHARMACY PRODUCT SYSTEM - NATIONAL". The user is logged in as "PPS-National Manager - 999". The navigation menu includes "Home", "Manage PPS", "Reports", "COTS Services", and "User Preferences". The "Reports" menu is expanded, showing "FDB Search", "FDB Add", "FDB Update", "Added Report", and "Updated Report". The "FDB Update" option is selected. The main content area shows "RESULTS" with a message "No items found." and a table with columns: "Select", "NDC", "VA Product Name", "Fdb Generic Name", "GCNSEQNO", "RX Message", and "Date Submitted". The table is empty, displaying "Nothing found to display." A "Delete" button is located below the table. There are also links for "Help", "Provide Feedback", and "Export to CSV".

Figure 69: FDB Update

(FDB) Added Report Tab

The FDB Added Report presents a list of FDB items that were automatically added to PPS-N during the last scheduled process.

The user can select an NDC link and view an item, and they can also check the checkbox for one or more items and delete them from the list. If the user does not delete them, they remain on the list for 90 days.

The screenshot shows the PPS-N Pharmacy Product System - National interface. The 'Added Report' tab is selected. The table below displays 10 items:

Select	NDC	Package Size	Package Type	Additional Description	GCNSEQNO	VA Product Name	Label Name	Fdb Generic Name	Date Submitted
<input type="checkbox"/>	00037024523	23.0	SQUEEZ BTL		69144	AZELASTINE HCL 137MCG/FLUTICASONE 50MCG/SPRAY SOLN,NASAL 120D	DYMISTA NASAL SPRAY	AZELASTINE-FLUTICASONE	04-Sep-2012 16:25
<input type="checkbox"/>	00187079247	100.0	BOTTLE		573	DILTIAZEM HCL 120MG TAB	CARDIZEM 120 MG TABLET	DILTIAZEM HCL	04-Sep-2012 16:25
<input type="checkbox"/>	00450027350	2.0	PACKET	2X50.COOL BURST CPLT	47013	APAP 325MG/CTM 2MG/P-EPHRINE 5MG TAB	TYLENOL ALLERGY MULTI-SYMP TOM	CPM-PHENYLEPH-ACETAMINOPHEN	04-Sep-2012 16:25
<input type="checkbox"/>	00450048210	100.0	BOTTLE	CAPLET	3699	ACETAMINOPHEN 500MG/DIPHENHYDRAMINE HCL 25MG TAB	TYLENOL PM EX-STRENGTH CAPLET	DIPHENHYDRAMINE-ACETAMINOPHEN	04-Sep-2012 16:25
<input type="checkbox"/>	00450048215	150.0	BOTTLE	CAPLET	3699	ACETAMINOPHEN 500MG/DIPHENHYDRAMINE HCL 25MG TAB	TYLENOL PM EX-STRENGTH CAPLET	DIPHENHYDRAMINE-ACETAMINOPHEN	04-Sep-2012 16:25
<input type="checkbox"/>	00450048224	24.0	BOTTLE	CAPLET	3699	ACETAMINOPHEN 500MG/DIPHENHYDRAMINE HCL 25MG TAB	TYLENOL PM EX-STRENGTH CAPLET	DIPHENHYDRAMINE-ACETAMINOPHEN	04-Sep-2012 16:25
<input type="checkbox"/>	00450048235	225.0	BOTTLE	CAPLET	3699	ACETAMINOPHEN 500MG/DIPHENHYDRAMINE HCL 25MG TAB	TYLENOL PM EX-STRENGTH CAPLET	DIPHENHYDRAMINE-ACETAMINOPHEN	04-Sep-2012 16:25
<input type="checkbox"/>	00450048250	50.0	BOTTLE	CAPLET	3699	ACETAMINOPHEN 500MG/DIPHENHYDRAMINE HCL 25MG TAB	TYLENOL PM EX-STRENGTH CAPLET	DIPHENHYDRAMINE-ACETAMINOPHEN	04-Sep-2012 16:25
<input type="checkbox"/>	00450081308	240.0	BOTTLE	EX-STR. COOL BURST	4485	ACETAMINOPHEN 500MG/15ML LIQUID	TYLENOL SORE THROAT 500 MG/15	ACETAMINOPHEN	04-Sep-2012 16:25
<input type="checkbox"/>	00450083815	150.0	BOTTLE	CAPLET	22123	ACETAMINOPHEN 650MG TAB,SA	TYLENOL ARTHRITIS ER 650 MG TB	ACETAMINOPHEN	04-Sep-2012 16:25

Buttons:

Figure 70: FDB Added Report

(FDB) Updated Report Tab

The FDB Updated Report presents a list of FDB items that were automatically updated (modified) in PPS-N during the last scheduled process. The results table looks the same as that previously shown for FDB Update.

The user can select an NDC link and view an item, and they can also check the checkbox for one or more items and delete them from the list. If the user does not delete them, they remain on the list for 90 days.

User Preferences Tab

The user may set a number of display and formatting preferences to personalize their PPS-N experience through the User Preferences tab.



Figure 71: User Preferences Tab

This tab provides two sets of preferences:

- User Preferences – set the default login page, date-time format, number of table rows to display, and a variety of FDB search filter settings.
- Search Preferences – define the layout of the search results tables when performing an “All Fields” search on NDCs, products and orderable items.

User Preferences Tab

The User Preferences tab contains a variety of preferences that the user can set to personalize their PPS-N displays. These include settings for Date and Time formats, the default login page, the number of rows to display in the tables, and FDB filters and search formats. Each of these is shown in the figure below.

UNITED STATES
DEPARTMENT OF VETERANS AFFAIRS
PPS-N | PHARMACY PRODUCT SYSTEM - NATIONAL

Home Manage PPS Reports COTS Services **User Preferences** Help

Search Preferences

Search Preferences Page Help Provide Feedback

Skip to main content
Welcome, First Name . Logout .
PPS-National Manager - 999

Date/Time Format

Date Format: Time Format:

1/9/12 1:00 PM
 1/9/2012 13:00
 1/09/2012
 1/09/12
 01/09/12
 01/09/2012
 09-JAN-2012
 Mon, Jan 9, 2012

Default Login Page

Home Page
 Search Page

Table Display Format
The number of rows displayed by default in a results table:

10 (10-100)

FDB Filter Settings

FDB Status Code Format	Other Settings
Active: <input checked="" type="checkbox"/>	Devices: <input checked="" type="checkbox"/>
Retired: <input checked="" type="checkbox"/>	Single Ingredient: <input type="checkbox"/>
Replaced: <input checked="" type="checkbox"/>	Obsolete Drugs: <input checked="" type="checkbox"/>
Inactive: <input checked="" type="checkbox"/>	Private Labelers: <input checked="" type="checkbox"/>
Unassociated: <input checked="" type="checkbox"/>	Repackagers: <input checked="" type="checkbox"/>

FDB RX OTC Format **FDB Name Type Format** **FDB Packaged Drug Format** **FDB Phonetic Search Format** **FDB Search Methods Format**

BOTH BOTH BOTH LITERAL BEGINS WITH EACH STRING
 OTC BRAND ONLY EQUIVALENT PACKAGE DRUG ONLY LITERAL AND PHONETIC BEGINS WITH LITERAL
 RX GENERIC ONLY PACKAGE DRUG ONLY PHONETIC CONTAINS EACH STRING
 CONTAINS LITERAL

Undo Changes Set Preferences

Figure 72: User Preferences

The user will select the various preferences and filter settings and then click the “Set Preferences” button to save the preferences to the PPS-N database. If the user starts making selections and doesn’t want to save them, the user will click the “Undo Changes” button.

Search Preferences Tab

The Search Preferences tab allows the users to create the results templates for the “All Fields” search in the simple search page (under Manage PPS).

The screenshot shows the PPS-N (Pharmacy Product System - National) interface. At the top, there is a header with the Department of Veterans Affairs logo and the text "PPS-N PHARMACY PRODUCT SYSTEM - NATIONAL". A navigation bar includes links for Home, Manage PPS, Reports, COTS Services, User Preferences, and Help. The "User Preferences" section is active, with sub-links for User Preferences and Search Preferences. Below the navigation, there is a "Select Appropriate Search Template:" dropdown menu. The main content area is titled "Personalize the Search Results Table Template" and contains two columns: "Available Fields:" and "Selected Fields:". Between these columns are navigation buttons: ">" and "<" for moving fields, and "Up" and "Down" for reordering. A "Submit" button is located at the bottom of the form. A note below the form states: "Note! If your changes don't show up, you can click F5 on your keyboard to refresh the list".

Figure 73: Search Preferences

1. Search Preferences – Search Templates

There are three types of personal search templates: Product, Orderable Item and NDC. This corresponds to the Item Types that can be selected when performing searches.




Figure 74: Search Templates

The user will select the type of search template that they want to personalize from the Select Appropriate Search Template dropdown list as shown above.

2. Search Preferences – Available Fields

When the user selects a personal search template type, the Search Results Table Template will be automatically loaded.

If this is the first time that the user is creating the template, the Available Fields panel on the left side will contain all of the fields available for selection and display, and the Selected Fields panel will be empty, as shown below.




Figure 75: Edit Search Template

The user will highlight the items in the Available Fields panel that they want to include in their search results and use the right “>” button to move the item(s) to the Selected Fields panel. If needed, the user may move an item back to the Available Fields panel using the left “<” button.

The user may also define the order of the items in the Selected Fields panel by selecting an item and then using the “Up” and “Down” buttons. This order, top to bottom, is how the search results will be displayed in the All Fields search results table (left to right).

Once the user is satisfied with the items in the Selected Fields panel, the user will click the “Submit” button to save the changes.

An example of a Personal Product Search template with four selected fields is shown below.

The screenshot shows the PPS-N (Pharmacy Product System - National) user interface. At the top, there is a header with the Department of Veterans Affairs logo and the text 'PPS-N PHARMACY PRODUCT SYSTEM - NATIONAL'. A navigation bar includes links for Home, Manage PPS, Reports, COTS Services, User Preferences, and Help. The 'User Preferences' section is active, and the 'Search Preferences' sub-section is selected. A dropdown menu shows 'Personal Product Search' as the selected template. Below this, a section titled 'Personalize the Search Results Table Template' contains two columns: 'Available Fields' and 'Selected Fields'. The 'Available Fields' list includes Product Unit, Dosage Form, VA Product ID, PPS OI Name, VA Drug Class, CMOP Dispense (National), New Item Request, Item Status, Formulary, VA Dispense Unit, Category, and # of NDCs. The 'Selected Fields' list contains VA Product Name, VA Print Name, Generic Name, and Product Strength. Navigation buttons (Up, Down) are present next to the selected fields. A 'Submit' button is located at the bottom of the configuration area. A note states: 'Note! If your changes don't show up, you can click F5 on your keyboard to refresh the list'.

Select Appropriate Search Template:

Personalize the Search Results Table Template

Available Fields:		Selected Fields:	
Product Unit	>	VA Product Name	Up
Dosage Form		VA Print Name	
VA Product ID		Generic Name	
PPS OI Name	<	Product Strength	Down
VA Drug Class			
CMOP Dispense (National)			
New Item Request			
Item Status			
Formulary			
VA Dispense Unit			
Category			
# of NDCs			

Note! If your changes don't show up, you can click F5 on your keyboard to refresh the list

Figure 76: Selected Fields for Product Search Template

3. All Fields Search Results Using Personalized Product Search Template

The image below shows an example of the “All Fields” product search based on the template that was created during the last step above.

The screenshot displays the PPS-N web application interface. At the top, it shows the Department of Veterans Affairs logo and the text 'PPS-N PHARMACY PRODUCT SYSTEM - NATIONAL'. A navigation bar includes links for Home, Manage PPS, Reports, COTS Services, User Preferences, and Help. Below this is a secondary navigation bar with links for Enter / Edit Items, Requests, Saved Work in Progress, PPS Data Elements, and PPS Data Requests. The main search area is titled 'Simple Search' and includes a search bar with the text 'AC_T%' and a dropdown menu for 'Item Type' set to 'Product'. The 'Search Field' is set to 'All Fields'. There are also checkboxes for 'Contains', 'Begins With', and 'Is Exactly'. To the right, there are filters for 'Category' (Medication, Investigational, Compound, Supply), 'Sub-Category' (Herbal, Chemotherapy, OTC, Veterinary), 'Item Status' (Active, Inactive), and 'New Item Request' (Approved, Pending, Rejected). Below the search area, the 'SEARCH RESULTS' section shows '5 items found, displaying all items.' and a table with the following data:

Select	VA Product Name	Print Name	Generic Name	Str
<input type="checkbox"/>	ACETAMINOPHEN 325MG TAB	ACETAMINOPHEN 325MG TAB	ACETAMINOPHEN	325
<input type="checkbox"/>	ACETAMINOPHEN 500MG TAB	ACETAMINOPHEN 500MG TAB	ACETAMINOPHEN	500
<input type="checkbox"/>	BACITRACIN 500UNT/GM OINT.OPH	BACITRACIN 500UNT/GM OPH OINT	BACITRACIN	500
<input type="checkbox"/>	ACETAMINOPHEN 555MG TAB	ACETAMINOPHEN 555MG TAB	ACETAMINOPHEN	555
<input type="checkbox"/>	ACETAMINOPHEN 666MG TAB	ACETAMINOPHEN 666MG TAB	ACETAMINOPHEN	666

Below the table, there are 'Export' options for CSV and Excel, and buttons for 'Select All' and 'Edit Items'. At the bottom, there is a link for 'Create New Product (from blank)'.

Figure 77: Simple 'All Fields' Product Search

Help Tab

The user may access the Help files one of two ways. For general help in learning about PPS-N, the user will select the Help Tab.



Figure 78: Help Tab

Selecting the Help tab launches the PPS-N Help application which is built using RoboHelp. The main help page is shown below.




Figure 79: Main Help Page

The top menu bar has three selectable options on the left and then a search box on the right. The three left options include the following:

- Contents – organized in folders based on the main menu items within PPS-N
- Search – enter text to search for, along with options for highlighting search results and defining how many results to display per page
- Glossary – a list of terms and acronyms along with their definitions.

Images of these three options, Contents, Search, and Glossary, are shown below.




Figure 80: Help Options

Additionally, PPS-N provides page-level, context-sensitive help. When the user has a question about using a specific page within PPS-N, the user can select the Page Help link as shown below.




Figure 81: Page Help

When the user clicks the Page Help link, the RoboHelp application will launch and display the appropriate content based on the page. As an example, when the user selected the Page Help link shown above, the following Simple Search window will appear.




Figure 82: Context-Sensitive Page Help


If the user clicks the Show link in the upper left of the window, the panel with the three options described above will appear.

The user may use the breadcrumb navigational path shown in the upper right to visit the Home or Manage PPS Tab pages.

The user may also use links within the text to navigate to related pages, such as Perform a Simple Search which is shown in the lower portion of the figure above.

Manage Application Tab – for Supervisor Roles Only

Users who have a Supervisor Role will also have access to one other tab, Manage Application, as shown below.



The screenshot shows the PPS-N (Pharmacy Product System - National) interface. At the top, there is a header with the United States Department of Veterans Affairs logo and the text "PPS-N PHARMACY PRODUCT SYSTEM - NATIONAL". A navigation bar contains tabs for Home, Manage PPS, Reports, COTS Services, Manage Application (which is highlighted), User Preferences, and Help. Below the navigation bar, there are sub-tabs for Domain Mapping, System Data, User Roles, and Edit Home Page. The main content area is titled "Domain Mapping" and contains a form with a "Domain:" label, a "Drug Class" dropdown menu, an "Entry Date:" label, and a "Search" button. There are also links for "Page Help" and "Provide Feedback" in the top right corner of the content area.

Figure 83: Manage Application Tab

This tab provides access to four other tabs:

- Domain Mapping – associate PPS-N terms with FDB terms
- System Data – the FDB Control Process panel which allows for scheduling of various PPS-N tasks
- User Roles – define roles and respective access permissions to various PPS-N users
- Edit Home Page – use a form to edit the Home page content

Each of these is described on subsequent pages.

Domain Mapping Tab – for Supervisor Roles Only

The user may select the Domain Mapping tab to associate (map) PPS-N terms to FDB terms.




Figure 84: Domain Mapping Tab

The user will first select one of the options in the Domain dropdown list as shown below. The user also has the option to enter an Entry Date which will filter the results beginning with that date to the present.




Figure 85: Domains for Domain Mapping

Regardless of the Domain selected, the results tables all use the same presentation format as shown below:

The screenshot displays the PPS-N (Pharmacy Product System - National) interface. At the top, it features the Department of Veterans Affairs logo and navigation tabs: Home, Manage PPS, Reports, COTS Services, Manage Application, User Preferences, and Help. A search area includes a 'Domain' dropdown menu set to 'Drug Class' and an 'Entry Date' field. Below the search area are two side-by-side tables:

FDB Term List	Entry Date	Associated PPS-N Term
0.225 % SODIUM CHLORIDE	08/14/2012	
0.9 % SODIUM CHLORIDE	08/14/2012	
ABACAVIR SULFATE	08/14/2012	
ABATACEPT	08/14/2012	
ABCIXIMAB	08/14/2012	
ABIRATERONE ACETATE	08/14/2012	
ABOBOTULINUMTOXINA	08/14/2012	
ACACIA	08/14/2012	
ACAI BERRY EXTRACT	08/14/2012	
ACAMPROSATE CALCIUM	08/14/2012	
ACARBOSE	08/14/2012	
ACEBUTOLOL HCL	08/14/2012	
ACEMANNAN	08/14/2012	
ACETAMINOPHEN	08/14/2012	
ACETANILIDE	08/14/2012	
ACETATE SALT	08/14/2012	
ACETAZOLAMIDE	08/14/2012	
ACETAZOLAMIDE SODIUM	08/14/2012	
ACETIC ACID	08/14/2012	
ACETOHYDROXAMIC ACID	08/14/2012	
ACETONE	08/14/2012	
ACETYLCARNITINE	08/14/2012	
ACETYLCHOLINE CHLORIDE	08/14/2012	
ACETYLCYSTEINE	08/14/2012	
ACITRETIN	08/14/2012	
ACRIFLAVINE	08/14/2012	
ACRIVASTINE	08/14/2012	
ACTIVATED CHARCOAL	08/14/2012	
ACYCLOVIR	08/14/2012	
ACYCLOVIR SODIUM	08/14/2012	
ADALIMUMAB	08/14/2012	
ADAPALENE	08/14/2012	
ADEFOVIR DIPIVOXIL	08/14/2012	
ADENOSINE	08/14/2012	
ADENOSINE PHOSPHATE	08/14/2012	
ADHESIVE BANDAGE	08/14/2012	

PPS-N Term List
1,1,1 TRICHLOROETHANE
2-AMINO-2-METHYL-1-PROPANOL
2-BUTOXYETHANOL
2-OCTYL CYANOCRYLATE
2-PHENYLBENZIMIDAZOLE-5-SULFONIC ACID
3,4 DIAMINOPYRIDINE
4-AMINOQUINOLINE
4-DILAURATE
7-METHOXYFLAVONE
8-AMINOQUINOLINE
ABACAVIR
ABACAVIR SULFATE
ABARELIX
ABATACEPT
ABCIXIMAB
ABIRATERONE
ABIRATERONE ACETATE
ABOBOTULINUMTOXINA
ABSORPTION BASE
ACACIA
ACACIA POWDER
ACAI
ACAI BERRY EXTRACT
ACAMPROSATE
ACARBOSE
ACEBUTOLOL
ACEBUTOLOL HYDROCHLORIDE
ACEMANNAN
ACETAMIDE MEA
ACETAMINOPHEN
ACETANILIDE
ACETATE
ACETAZOLAMIDE
ACETAZOLAMIDE SODIUM
ACETIC ACID
ACETIC ACID GLACIAL

At the bottom of the interface are 'Clear' and 'Submit' buttons.

Figure 86: Domain Mapping Tables

The table on the left shows the FDB terms, their entry date, and any associated PPS-N term from the table on the right. To make an association, the user will click the appropriate FDB term in the list on the left and then click the associated PPS-N term in the table on the right.

The item selected in the right-hand table will then appear in the Associated PPS-N Term column in the left-hand table as shown below.

The screenshot displays the PPS-N Domain Mapping interface. At the top, there is a navigation bar with tabs for Home, Manage PPS, Reports, COTS Services, Manage Application, User Preferences, and Help. Below this is a sub-navigation bar with Domain Mapping, System Data, User Roles, and Edit Home Page. The main content area is titled 'Domain Mapping' and includes a search form with a 'Domain' dropdown (set to 'Drug Class') and an 'Entry Date' field. Below the search form are two tables:

FDB Term List	Entry Date	Associated PPS-N Term
5-ALPHA-REDUCTASE INHIBITORS	08/14/2012	AH105 - ANTIHISTAMINES, PIPERAZINE
5-HT3 RECEPTOR ANTAGONISTS	08/14/2012	
ACIDIFYING AGENTS	08/14/2012	
ADAMANTANES	08/14/2012	
ADAMANTANES (CNS)	08/14/2012	
ADRENALS	08/14/2012	
ADRENOCORTICAL INSUFFICIENCY	08/14/2012	
ALCOHOL DETERRENTS	08/14/2012	
ALKALINIZING AGENTS	08/14/2012	
ALLYLAMINES	08/14/2012	
ALLYLAMINES (SKIN & MUCOUS M	08/14/2012	
ALPHA AND BETA ADRENERGIC AG	08/14/2012	
ALPHA- AND BETA-ADRENERGIC A	08/14/2012	
ALPHA-ADRENERGIC AGONISTS	08/14/2012	
ALPHA-ADRENERGIC AGONISTS (E	08/14/2012	
ALPHA-ADRENERGIC BLOCKING A	08/14/2012	
ALPHA-ADRENERGIC BLOCKING A	08/14/2012	
ALPHA-ADRENERGIC BLOCKING A	08/14/2012	
ALPHA-GLUCOSIDASE INHIBITORS	08/14/2012	
AMEBICIDES	08/14/2012	
AMINOGLYCOSIDES	08/14/2012	
AMINOPENICILLINS	08/14/2012	
AMMONIA DETOXICANTS	08/14/2012	
AMPHETAMINES	08/14/2012	
AMYLINOMIMETICS	08/14/2012	
ANALGESICS AND ANTIPYRETICS	08/14/2012	
ANDROGENS	08/14/2012	
ANGIOTENSIN II RECEPTOR ANTA	08/14/2012	
ANGIOTENSIN II RECEPTOR ANTA	08/14/2012	
ANGIOTENSIN-CONVERT. ENZYME	08/14/2012	
ANGIOTENSIN-CONVERTING ENZY	08/14/2012	
ANOREX. RESPIR. CEREBRAL STIM	08/14/2012	
ANTACIDS AND ADSORBENTS	08/14/2012	
ANTHELMINTICS	08/14/2012	
ANTI-INFLAMMATORY AGENTS (GI	08/14/2012	
ANTI-INFLAMMATORY AGENTS (SK	08/14/2012	

PPS-N Term List
AA000 - INTRODUCTION
AD000 - ANTIDOTES, DETERRENTS AND POISON CONTROL
AD100 - ALCOHOL DETERRENTS
AD200 - CYANIDE ANTIDOTES
AD300 - HEAVY METAL ANTAGONISTS
AD400 - ANTIDOTES, DETERRENTS, AND POISON CONTROL EXCHANGE RESINS
AD900 - ANTIDOTES/DETERRENTS, OTHER
AH000 - ANTIHISTAMINES
AH100 - ANTIHISTAMINES, PHENOTHIAZINE
AH102 - ANTIHISTAMINES, ETHANOLAMINE
AH103 - ANTIHISTAMINES, ETHYLENEDIAMINE
AH104 - ANTIHISTAMINES, ALKYLAMINE
AH105 - ANTIHISTAMINES, PIPERAZINE
AH106 - ANTIHISTAMINES, BUTYROPHENONE
AH107 - ANTIHISTAMINES, PIPERIDINE
AH109 - ANTIHISTAMINES, OTHER
AM000 - ANTIMICROBIALS
AM110 - PENICILLIN-G RELATED PENICILLINS
AM111 - (INACTIVE) PENICILLIN G-RELATED PENICILLINS
AM111 - PENICILLINS, AMINO DERIVATIVES
AM112 - (INACTIVE) PENICILLINS, AMINO DERIVATIVES
AM112 - PENICILLINASE-RESISTANT PENICILLINS
AM113 - EXTENDED SPECTRUM PENICILLINS
AM114 - (INACTIVE) BETA-LACTAM ANTIMICROBIALS
AM114 - PENICILLINS AND BETA-LACTAM ANTIMICROBIALS
AM114 - (INACTIVE) PENICILLINS
AM115 - CEPHALOSPORIN 1ST GENERATION
AM116 - CEPHALOSPORIN 2ND GENERATION
AM117 - CEPHALOSPORIN 3RD GENERATION
AM118 - CEPHALOSPORIN 4TH GENERATION
AM119 - BETA-LACTAMS ANTIMICROBIALS, OTHER
AM150 - CHLORAMPHENICOL
AM200 - ERYTHROMYCINS/MACROLIDES
AM250 - TETRACYCLINES
AM300 - AMINOGLYCOSIDES
AM350 - LINCOMYCINS

At the bottom of the interface are 'Clear' and 'Submit' buttons.

Figure 87: Domain Mapping Assignments

If the user decides that an association is wrong, while the left-hand item is selected, the user may either select a new item in the right-hand table, or the user may click the “Clear” button. When the user is finished making the associations, the user will click the “Submit” button.

System Data Tab – for Supervisor Roles Only

The user may select the System Data tab to manage the FDB control processes. This is also referred to as the FDB Scheduler.

The screenshot shows the PPS-N interface with the System Data tab selected. The main panel is titled "Fdb Control Process" and includes a "Refresh" button. Below the title, it displays the system time and scheduler status. A table lists five jobs with their respective controls, frequencies, and statuses. At the bottom, there is a section for "Messaging Status" with a toggle for "On/Off", the "FDA Host Name" (https://vaww.cmopnaton), and a "Messages on Queue" count of 0.

Jobs	Controls	Hrs	Mins	Job Status	Next Fire Time	Last Success Run	Process Status
Inactivation Job	Resume Pause Schedule	1	0	RUNNING	Nov-18-2013 02:20:00	Feb-26-2013 01:00:24	COMPLETED
Fdb Update	Resume Pause Schedule	5	0	RUNNING	Nov-18-2013 02:50:00	Jan-31-2013 00:00:00	COMPLETED
Fdb Add	Resume Pause Schedule	6	0	RUNNING	Nov-18-2013 03:00:00	Jan-31-2013 00:00:00	COMPLETED
FSS	Resume Pause Schedule	2	0	RUNNING	Nov-18-2013 02:30:00	Feb-26-2013 04:00:00	COMPLETED
STS	Resume Pause Schedule	3	0	RUNNING	Nov-18-2013 02:40:00	Feb-26-2013 05:00:00	COMPLETED

Messaging Status	FDA Host Name	Messages on Queue	Messaging Running	Error Messages
On Off	https://vaww.cmopnaton: Update	0	true	

Figure 88: System Data Tab

The FDB Control Process panel manages the FDB Scheduler process which is used to schedule when the five PPS-N background tasks will be executed. Each of these tasks executes independently. For performance reasons the tasks should be scheduled to run at night when PPS-N is not being used, and the tasks should be spaced out so they do not run at the same time. Generally each task will run in less than five minutes so they don't need to be scheduled hours apart..

Information on the five tasks is presented in the following table..

Table 9: FDB Control Process Jobs

Jobs	Description
Inactivation Job	This job looks at the Product and <i>NDC</i> proposed inactivation dates. If there are any NDCs that are Active and have a proposed Inactivation Date earlier than the current date then the NDC will be inactivated. If there are any Products that are Active and have a proposed Inactivation date earlier than the current date then a Request to Inactivate the product will be put on the request list.
FDB Update	This job will search the FDB Packaged Drugs Update Date field for all entries greater than the Last Successful Run date. When a match is found, the system will check the FDB Drug against its VA equivalent to see if any fields that are currently monitored by the VA were updated. If so, then the job will put an entry on either the FDB Update list (if the system could not automatically process the update) or the Update Report (if the system automatically processed the update).
FDB Add	This job will search the FDB Packaged Drugs Add Date field for all entries greater than the Last Successful Run date. When a match is found, the system will either add the Packaged Drug to PPS-N (if certain criteria for automatic add are met) or will place the Packaged Drug on the FDB Add list for NDF Managers to process.

Jobs	Description
FSS	This job will search the Federal Supply Schedule (FSS) database for any updates that have occurred since the Last Success Run time. Any PPS-N NDCs that have corresponding updates in FSS will be automatically updated.
STS	This job will call the Standard Terminology Service Web service to retrieve the u-to-date list of Standard Medication Routes. Any newly added routes will be added to PPS-N.

FDB Control Process Header Information

The control panel header includes one button and two fields:

- “Refresh” button: This button refreshes the System Time field and the information in the table.
- System Time: This is the current date time of the *Application* Server that will be processing the request. It may very well be in a different time zone that the client machine where the user is located.
- Scheduler Status: This should always be RUNNING. If this field is set to anything other than running then a serious error has occurred and the System Administrators should be notified.

FDB Control Process Table

The following explains the table columns:

- Jobs: The name of the job.
- Controls: Provides three user control buttons.
 - Resume: This button allows for the control process to be restarted if it was paused for some reason.
 - Pause: This button will stop the job from executing at the specified time and put the job in a hold mode.
 - Schedule: This button will allow the user to schedule the job to run once they have set the Hours and Minutes.
- Hrs: This is the scheduled server time in hours for the job to run. For example, selecting 1 would have the job run in the 1 a.m. hour. Used in conjunction with the Mins column.
- Mins: This is the scheduled server time in minutes for the job to run. For example, selecting 30 would have the job run at 30 minutes past the hour. Used in conjunction with the Hrs column.
- Job Status:
 - PAUSED: indicates that the job is not current scheduled to run.
 - RUNNING: indicates the job will run at the Next Fire Time.
- Next Fire Time: This is the next scheduled time for the job to execute.
- Last Success Run:
 - For the Inactivation Job, FSS and STS jobs, this indicates the date-time the job finished on its last run.
 - For the Fdb Add and Fdb Update jobs, this indicates the latest value in the AddDate or UpdateDate field in the FDB Packaged Drug table.
- Process Status:
 - STOPPED: indicates the job has not been executed since the code was deployed.
 - COMPLETED: indicates that the job has executed and the Last Success Run will hold the time the job last completed.
 - RUNNING: indicates the job is currently executing.

National Settings

Under the jobs table is a row of National setting variables that are used in the execution of these jobs.

Table 10: Jobs Table - National Settings

Jobs Types	Description
Messaging Status	On indicates Messages are being sent to NDF as they are generated. Off indicates Messages are being queued as they are generated. When the user changes the status from Off to On all queued messages will be sent.
FDA Host Name	This is the host name for the FDA Server which holds the FDB Med Guides. This becomes the base of the URL that is used to display FDB Med Guides for specific products.
Messages on Queue	This is a count of the number of messages in the message queue.
Messaging Running	This is used in conjunction with the Messaging Status button. When the messaging is On, this is set to true, when the messaging is Off, this is set to false.
Error Messages	If an error occurs when processing the messages from the queue, the error will be displayed here and the messaging will automatically be turned off.

User Roles Tab – for Supervisor Roles Only

The user can assign specific PPS-N roles which determine what functions within PPS-N that user can perform.

Username	DUZ	Location	PPS-National Migration User	PPS-National Second Approver	PPS-National Manager	PPS-National Supervisor
User Pmmone	10000000205	500	<input type="checkbox"/>			
National Pmone	10000000188	500			<input type="checkbox"/>	
national Pnaone	10000000184	500				<input checked="" type="checkbox"/>
National Pncone	10000000206	500	<input type="checkbox"/>			<input checked="" type="checkbox"/>

Figure 89: User Roles Tab

There are five user roles in PPS-N that are associated with a Security Key in the associated VistA system.

Table 11: PPS-N User Roles

Role	Security Key	Description
PPS National Viewer	PSS_PPSN_VIEWER	This role is designed for a user who needs access to PPS-N to view drugs and their attributes. This user can use the search features and view drugs, but cannot modify or add new drugs to the system. The user can use advanced search and create their own personal search templates and can use the FDB Search features. This user does not have the ability to submit a change request for a drug. This user has the ability to view and create reports.
PPS National Second Approver	PSS_PPSN_SECOND_APPROVER	This role contains all the functionality of a PPS National Viewer and allows a user to conduct a second approval on items that are in the Pending second approval state. The user can search for and view all requests, but they can only approve or disapprove the ones that are available for second approval.

Role	Security Key	Description
PPS National Manager	PSS_PPSN_MANAGER	The PPS National Manager is the role that controls the normal processing of drug items. This role contains all the functionality of the PPS National Second Approver plus the ability to add and approve all items including new domains such as generic names, ingredients, drug classes, etc. This role also allows the user to look up new items in FDB and add them to PPS-N . This role allows the user to save and retrieve partially modified items.
PPS National Supervisor	PSS_PPSN_SUPERVISOR	This role contains all of the permissions of a PPS National Manager. In addition, the role provides access to the Manage Application tab for domain mapping, system data control, assigning user roles, and editing the home page content. In addition this role allows the user to create system level advanced search templates and delete templates that other users have created. This role can also delete partially saved items that other users have saved.
PPS National Migrator	PSS_PPSN_MIGRATOR	This role contains all the permissions of the PPS National Viewer and provides access to the Migration tab to perform those functions.

Each user of PPS-N will need at least one of these roles, and can be assigned multiple roles. When the user first logs into PPS-N, they will only get the permissions of PPS National Viewer, even if they have been assigned additional roles in their associated VistA system. Before they can access the functionality of those additional roles, a PPS-N Supervisor must access this page and check the checkbox giving them the appropriate role(s).

User Role Table Columns

The user roles table contains a number of columns:

- Username: This is the full name from the New Person file in VistA.
- DUZ : The IEN for the user form the New Person file in VistA.
- Location: The VistA Instance Number (or Location Number) for the Vista that houses this user. The combination of the DUZ and the location field uniquely identify a user.
- For the last four columns, the field is blank if the user does not have this security key assigned to them in their VistA System. If the user is given the security key, then when the user first logs in the checkbox will become visible but be unchecked. A user with the PPS-N Supervisor role must check the box for the user to gain the permissions of the role.

Granting Permissions

The user will access this tab and check the appropriate checkboxes for each user. The user will then click the “Submit” button to save the changes to the database.

Edit Home Page Tab – for Supervisor Roles Only

The user will access the Edit Home Page tab to change the content for the Home tab.

UNITED STATES DEPARTMENT OF VETERANS AFFAIRS
PPS-N PHARMACY PRODUCT SYSTEM - NATIONAL

Welcome, NATIONAL - Logout.
PPS-National Supervisor - 500

Home Manage PPS Reports COTS Services Manage Application User Preferences Help

Domain Mapping System Data User Roles Edit Home Page

Edit Home Page Page Help Provide Feedback

Home Page Image
Select image: Default System Image

Announcement Information
Title: Don't Return Controlled Substance
Body: (2000 character limit)
No provisions in Controlled Substances Act or Code of Federal Regulations for pharmacy take back of controlled substances from patients. Pharmacists should be aware that no provisions exist in the Controlled Substances Act or Code of Federal Regulations (CFR) for a DEA registrant, such as a community pharmacy, to take back controlled substances from a non-registrant (i.e., individual patient). However, patients may return an unused controlled substance medication
Link Title: Full Story...
Link: #

Undo Changes Save Changes

Figure 90: Edit Home Tab Content

There are two primary features of the home page. The first is an optional image, as shown in the left panel above. The second feature is the text that is aligned to the right of the image on the Home tab. The user can use the form shown in the right panel above to enter a title, a certain amount of body text, a link title, and then the URL for the link to the full story or article.

When the user has made the desired changes, the user will click the “Save Changes” button. The user may also undo the changes by clicking the “Undo Changes” button.